Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Return Postage Guaranteed by Native Evergreens, Missoula, Montana.

Penalty for Private use to Payment of Accident and Payment

ALPINES

Native Plants of the National Park Region.

Flowers Shrubs

300

Wild Flowers of Montana's Mountains Listed

Write For Your Copy.

Here at Low Prices. Seed, Flants or any Native Material Collected. Cultural Directions Furnished and Safe Arrival Guaranteed.

Trees

Ferns Bull

Seeds

Collected for you by Frank H. Rose, 1020 Poplar Street, Missoula, Montana.

LIBRARY

of Agriculture

Washington 25, D. C.

Trees and Shrubs

Listed here are some of our better trees and shrubs.

Ninimum order from this page \$1.00 each species.

You will often get a more shapely shrub from your local nurseryman if he has the desired species; I prefer to collect flowering plants. Suckers, or cuttings of stem or root will, given time, produce satisfactory plants of many shrubs and can usually be furnished. Good seedlings are generally available of a few and others are small enough to dig anyway. Good seedling trees are often available where fire, logging or trampling has prepaired a seed bed. Where practical, I have indicated the approximate number to expect for \$1.00 For the rest, if you must have them, tell me what you want and I will do the best I can.

| tell me what you want and I wi | | | | |
|--------------------------------|-----------|-------|--|------|
| | e. For | \$1.0 | | .00 |
| Abies grandis | 4-8" | 5 | Pachystima myrsinites | 4 |
| Favors ample moisture. | 8-10" | 4 | Good if you can grow it. | |
| Abies lasiocarpa | 4-6" | 6 | Purshia tridentata | |
| The fir at timberline. | 6-10" | 4 | Good for dry well drained slopes. | |
| Juniperus scopulorum | 4-8" | 5 | Juniperus communis montana | 3 |
| Write for seed list. | | | Attractive, with gin flavored berrie | s. |
| Larix occidentalis or lyallii | 6-12" | 4 | Kalmia microphylla | |
| The deciduous evergreen. | | | Cuttings or clumps available. | |
| Picea engelmannii | 4-6" | 6 | Rhus glabra | 5 |
| Shapely and good color | 6-9" | 5 | Good and generally available, easy. | |
| Pinus albicaulis | | | Thus trilobata | |
| The timberline pine. | | | A hardy pioneer, asking little. | |
| Pinus brachyptera | 4-6" | 6 | Rosa acicularis | |
| - P. ponderosa scopulorum | | | Another single wild rose. | |
| Bark yellows with age. | | | Shepherdia canadensis | |
| Pinus monticola | 4-6" | 6 | Bright red berries. | |
| Soft bluish needles: | 6-8" | 4. | Spiraea densiflora or menziesii | |
| Pinus murrayana | 3-6" | 6 | With red flowers. | |
| Short lived, good 100 yrs. | 6-9" | 5 | Spiraea lucida has white flowers. | |
| Pseudotsuga taxifolia caesia | 5-7" | 5 | Vaccinium, we have 9. | |
| Our best Christmas tree. | 7-10" | 4 | I find some in pies or elsewhere, | |
| Thuya plicata | 5-7" | 10 | including V. caespitosum, V. membranac | eum, |
| Grows rapid and immense. | 7-12" | 6 | V. ovalifolium and V. scoparium. | |
| Tsuga heterophylla or mertensi | | | Yucca glauca | |
| Topmost twig at ease. | | | Seed some yrs. Small plants, if & wh | en. |
| Tall Shrubs. Normally o | ver 61 | | Low Shrubs Mostly under 2' | |
| Acer glabrum | | | Arctostaphylos uva-ursi | 4 |
| Glorious in fall color. | | | Berries in season. Cuttings or plant | |
| Amelanchier alnifolia | | | Artemisia frigida | 8 |
| More a bearberry than Arctos | taphylos | | Soft as kitten fur. Shear it. | |
| Echinopanax horridum | | | Berberis repens | 4 |
| To collect it is the Devil's | own job | | Creeping Oregon grape. Evergreen. | |
| Holodiscus (Sericotheca) disco | | | Gaultheria humifusa | 4 |
| Ocean spray, better than Spi | | | A mat forming evergreen. | |
| Philadelphus lewisii | | | Gutierrezia sarothrae | 5 |
| A Lewis & Clark find and sti | ll tops. | | Matchweed, Late yellow flowers. | |
| Prunus demissa | 0-1-1 | , | Plants green in dry weather. | |
| The thicket forming western | bird che | errv. | Juniperus horrizontalis | 2 |
| Prunus emarginata, suckers or | | | Mat forming juniper. | |
| Another free lunch counter f | | | Linnaea borealis americana | 5 |
| Salix. We have willows from th | | | Ground cover for cold shady site. | |
| Sambucus glauca | 6 | | Penstemon fruticosa | 3 |
| Blue berried elder. Cuttings | or berr | ies. | Showy purple flowered bush. | |
| Shepherdia argentea | or port | 1,00. | Phlox douglasia rigida | 5 |
| Red berries, silvery lvs., t | art iell | v. | Low shrubby phlox. Light blue fls. | |
| Sorbus scopulina or oxidentali | | · J • | Phyllodoce empetriformis | 3 |
| Red or orange berried shrubs | | | Mountain red heather. | |
| Medium Shrubs | 2-611 | | Potentilla fruticosa | L |
| | | E | | • |
| Artemisia tridentata or absint | nium | 5 | Dwarf mountain form. | |
| Fine on a dry site. | | | Dryas drummondii, yellow flowers. | 3 |
| Bossekia parviflora | | | Dryas octopetala, white flowers. | , |
| Large leaved thimble berry. | | | Eriogonum microthecum | |
| Ceanothus velutinus | le corre | | Pink flowered shrub. | |
| Evergreen, but seldom small | nere. | 1 | Vines | 1. |
| Chrysothamnus nauseosus | 7 07 | 4 | Clematis columbiana | 4 |
| Light gray foliage, late yel | low I'ls. | | Blue flowered shade loving vine. | |
| Ledum glandulosum | | 4 | Clematis lingusticifolia | |
| Damp shady site is OK. | | | Abundant white flower clusters. | 1. |
| Opulaster bracteatus | | | Lonicera ciliosa | 4 |
| Indian's arrow wood. | | | Orange red flowers. | |
| | | | | |

Wild Flowers of the National Parks Region NATIVE AMERICAN ALPINES

Here is a check list of 300 of the plants I regularly collect. Wherever identical Latin names are found, they refer to these same plants. Common names (page 12) are frequently local and may apply to different plants in different sections of the country. If you don't know what you want, tell me what you like. These plants are scattered over parts of three states: Montana, northern Idaho, and northern Wyoming. Some will be under snow until late July. Some vary from year to year in abundance and some are hard to find. I know my plants and where they grow and will do my best to please you; but often your order cannot be shipped immediately or all at one time. Order early and amply, I cannot go far for one plant.

Photographs of many plants of this region may be found in the Government bulletins: Plants of Glacier (50¢), Yellowstone (25¢) and Rocky Mt. (25¢) National Parks, available from National Park Service, Washington, D. C.

With few exceptions, I furnish 3 plants at twice the unit price. All plants f.o.b. Missoula. Privilege reserved, please, of substituting when necessary in retail orders. You will find a scree soil of loose drainage, dry on top with moisture from beneath generally best for alpines. Plant them in raised beds, walls and terraces. Expect some difficulty, but much of interest. At ease! Go native in your peace time garden.

THE THE WORD !!

| | THE PLANT OF THE PARTY OF THE P | | olimental king bendug, militari 1200 100 men | |
|----|--|---------|--|-------|
| | ACER GLABRUM, see under shrubs. | 200 | CHEILANTHES GRACILLINA | 25¢ |
| | STREET TO PARTY AND | 4 4* | A rock fern from high on a windy | |
| | ACONITUM COLUMBIANUM | 15¢ | hill in Idaho. 4-6" pH-5-7 | |
| | Monkshood. Usually blue, sometimes | | mili in idano, 4-0 ph-y- | |
| | white. Not common here. Collected | | BOTRYCHIUM VIRGINIANUM | 25¢ |
| 7. | sometimes as a fall bulb. | | CONTRACTOR AND AND ADMINISTRAL PROPERTY OF THE | 2)4 |
| | Pale blue. 2-5' pH-6 Summer | | I know where it is but I don't often | |
| | rate blue. 2-9. pn-o summer | 524 | get there at a season when it can be | |
| | | ÷ / | found. 12" pH-5-6 | 300 |
| | ACONITUM LUTESCENS | 15% | | 38271 |
| | Monkshood. Similar, but yollowish | | *CRY.PTOGRAM A ACROSTICHDIDES | 20¢ |
| | white. The two are separated by a | | Parsley fern. 6-12" pH-6-7 | |
| | day's drive. Do you really want one | | | |
| | of each, or will both alike do? | C. Sank | CRYPTOGRAMMA DENSA | 25¢ |
| | SALAN WILLIAM TO | A 15.3% | This one at present known to me | -, |
| | ACTAEA ARGUTA | 35¢ | only on one hillside and that not | |
| | Baneberry. Ruby red or china white, | 1 | always available. 6-12" pH-6-7 | |
| | showy berries on identical plants. | | arways availables, 19-12 phi-0-1 | |
| | Should be more extensively used. | 100 | ON AND DOWNER OF THE TO | 151 |
| | White. 2-3' pH-6-7 May-June | | CYSTOPTERIS FRAGILIS | 15¢ |
| | miles. 2-9. ph-o-1 Fray-June | | Fragile fern. The fern for a mossy | *oc |
| | ACTINELLA LANATA | 00/ | bank. 4-6" pH-6-7 | |
| | A THE RESERVE AND ADDRESS OF THE PARTY OF TH | 258 | AGERON SADA DIRAMI MINIMARY | |
| | Caespitose, entire green leaves | | DRYOPTERIS SPINULOSA DILATATA | 25¢ |
| | with large yellow flowers on short | | Spinulosa woods fern. Frost proof | |
| | woolly stems. | | fronds. 1-2' pH-6-7 | 100 |
| | TITTE SECREPTED TO THE | cool: | PROPERTY AND THE STREET, AND T | |
| | ACTINELLA GRANDIFLORA | 25¢ | DRYOPTERIS FILIX-MAS | 35¢ |
| | Grand yellow sunflowers on 8" woolly | | Male fern. Tall, dark green, more | , |
| | stems with woolly divided leaves. | | streamlined pinnules, but hardly as | |
| | The same of the party of the same of the s | | large as the lady fern. 2-3' pH-6-7 | |
| | ADENOCAULON BICOLOR | 20¢ | rango and rady rorm. 2 y privar | |
| | Pathfinder. Large leaves, green | | POLYPODIUM HESPERIUM | 254 |
| | abovo, whito below. Stickseed, | | 2.00 mm or 1.00 mm or | 2)4 |
| | skip it. White. 2' pH-7 July | | Licorice ferm. Plentiful on the | 7.55 |
| | skip it. whites 2. ph-1 dary | | coast, but rare here and a steep | 2.6.4 |
| | ADTAINED DODAY OUT TO WE STANKE | 001 | climb. 4-6" | |
| | ADIANTUM PEDATUM | 50¢ | +DOLVERTOURN F CHOHERTS | |
| | The popular Maidon hair forn. 12-18" | | FOLISTICHUM L'CNCHI 113 | 30¢ |
| | STATE OF THE PROPERTY OF THE ATTER | 538 | Holly fern. As attractive as it is | 7 57 |
| | Though this is an alphabetical list, | | rare. 6-12" pH-7 | |
| | for your convenience, I list our other | | DL 149 hour rate money was | , |
| | forms here. All forms are to be rec- | 3.4 | POLYSTICHUM MUNITUM | 25¢ |
| | ommended. Choose to suit your need. | END. | Christmas fern. 1-2" pH-6-7 | |
| | | Later . | The state of the s | 364 |
| | *ATHYRIUM FILIX-FOEMINA | 15¢ | PTERIS AQUILINA PUBESCENS | 20¢ |
| | Lady forn. Large plants, | 30¢ | Bracken. Can substitute the rhizomes | |
| | Our easiest to grow large forn. | 7-7 | for potatoes if I have to. | |
| | Like Pteris, browns with the first | 154 | | |
| | | | 3-5! pH-6-7 | |
| | frost. Light groon. 2-4' pH-6-7 | | THE WORLD OF THE PARTY OF THE P | 05 / |
| | ACCENT DECIMIN | 134 | THELYPTERIS DRYOPTERIS | 25¢ |
| | Sun, rain, and drainage. And the | | Oak fern. Single leaves along a black | - MA |
| | greatest of these is drainage. | S | string-like rhizome. 6-12" pH-6-7 | |
| | | | | |

| greenat of times to designate on the | 2 | Stringslike thirdnes delow Theory | |
|--|-----------------------|---|------|
| WOODSIA OREGANA 6-8" ph-6 | | *ANEMONE (PULSATILLA) LUDOVICIANA - ANEMONE PATENS NUTTALLIANA | 20¢ |
| *WOODSIA SCOPULINA | 15¢ | Pasque flower. Purple fls. in early spring before even its own woolly | |
| Tolerates a sunny site. | 304 | leaves unfold. Easy as it is good. Purple. 6-10" pH-6-8 AprMay | 504 |
| | 1.00 | ANEMONE PIPERI | 20¢ |
| " tall ferns for bedding, " I f.o.b. Missoula. Sure to please. | 1.50 | Woods Anemone. Pretty what there is of it. Nothing much but the flower. White. 6-8" pH-5-7 May-June | |
| ALISMA PLANTAGO-AQUATICA BREVIPES With a name like that it stands in the mud and drinks water. We can | 25¢ | *ANTENNARIA APRIGA | 15¢ |
| get you a whole collection of plants for your pool for \$2.00 if you want | | Cat's-paws. Dense, gray foliage mats. White. 6" pH-6-7 AprMay | |
| them. Author percare garage and | | ANTENNARIA ROSEA Rose. 8" pH-5-7 May-June | 15¢ |
| ALL IUMS look better than they smell. I list only 4 but I don't go much for | | Many others better or worse. | 254 |
| perfume. If you do, Rydberg lists 35 for my area. Plant a dozen in a clump | ρ. | APLOPAPPUS ACAULIS GLABRATUS | 25¢ |
| | -Doz. - 60¢ | Yellow. 4-6" pH-8 May-June APLOPAPPUS LANUGENOSUS, sometimes. | |
| Deep rose. 12-18" July | | AQUILEGIA FLAVESCENS Lemon columbine. | 30¢ |
| ALLIUM CERNUM 5¢- Lower (less moist) woods areas. | - 35¢ | Yellow. 2-3' pH-5-7 June-July | |
| Lavender to white. 12" pH-7 May | | Perhaps the most coveted rare alpine. | •00 |
| ALL IUM SIBERICUM Our only hollow stemmed onion. Light rose. 1-2: | - 60¢ | A cushion of compact, gray foliage with single, erect blue flowers on 5" leafless stems. Not difficult. | 1.58 |
| | - 50¢ | Blue, 6" pH-8 June | |
| A little clustered onion of the dry hillsides that bloom and then disappears until next season. White. 6" pH-8 Apr. | | ARABIS FURCATA Wild candytuft. White. 8" pH-5-7. AprMay | 15¢ |
| | 15 | ARCTOSTAPHYLOS UVA-URSI | 30¢ |
| ALSINE LAETA Arctic starwort. This, like the Alsinopsis, is from the high peaks. | 25¢ | lots of kinnikinnik, but good, young plants are scarce. Hang down a wall. Red berries, evergreen foliage. pH-5- | .6 |
| I drive a Jeep. Alsine longipes, A. longifolia, | | And the second section of the second | |
| and others here lower down. | 154 1 | *ARENARIA LITHOPHILA White. 6-8" pH-5-7 AprMay | 15¢ |
| ALSINOPSIS PROPINQUA. | 25¢ | ARENARIA CONJESTA | 20¢ |
| LSINOPSIS ROSSII | 25¢ | White. 6-8" pH-5-6 May-June | |
| ALSINOPSIS OBTUSILOBA Some botanists don't separate | 25¢ | Several others if you like sandworts. | |
| Alsinopsis and Arenaria. It hardly matters. Many of the chickweed | paración el sación | ARNICA CORDIFOLIA Yellow: 8-12" pH-5-7 Apr. | 15¢ |
| family are rockery plants. See SPERGULARIA RUBR. for a wet place. | ilomata Clamata | ARNICA LATIFOLIA | 25¢ |
| ANAPHALIS MARGARITACEA | 20¢ | Several others here also of which | |
| Pearly everlasting. Good in a damp pocket at the back. White. 18" pH-5-7 May | Wilder W | ARNICA FULGENS produces flower heads in abundance for the drug trade | ð. |
| clone of the pounding it you don't kne | N. WILLS | *ARTEMISIA FRIGIDA | 15¢ |
| ANEMONE CYLINDRICA Wind flower. Long seed heads. | 25¢ | Other sages, but this is most ernamer in the rockery. Keep it cut back for | ntal |
| White. 18"-2' pH-6 May-July | plant where | soft-as-kitte n-fur, gray foliage. Eas | зу. |
| ANEMONE GLOBOSA Wind flower. Round seed heads. White. 15" pH-6 May-July | 25¢ | ARTEMISIA TRIDENTATA Gray shrub for dry sun. | 30¢ |

| ground cover carries its brown fis. at the end of creeping branches, then buries its seed in the duff, pH-6-7 ASCLEPIAS SPECIOSA ASCLEPIAS SPECIOSA ASTER ALFINUS ASTER ALFINUS ASTER ALFINUS ASTER COMMUTATUS CRASSULUS A small flowered and, drought resistant, white. 2; pH-7 Aug. ASTER COMMUTATUS CRASSULUS A small flowered and, drought resistant, white. 2; pH-7 Aug. ASTER SOURDOUM ASTER INTOGRIPOLIUS Alarge one of moist that areas. Lawender, 12-16" pH-5-6 July-Aug. ASTER SOURDOUM ASTER ALFINUS ASTER ALFINUS CRASSULUS ASTER TOUROUM ASTER AND THE SUMMER AND THE CALL THE PROPERTY AND THE | ASARUM CAUDATUM Wild ginger. This unusual, shady | 25¢ | BULBS & BULB-LIKE PLANTS These are collected when dormant, b | out | |
|--|--|--------|--|-------|-----|
| BRODILY DUGLISH (bulbs) 10%-50% ARCLEPIAS SPECIOSA ASCLEPIAS SPECIOSA ASTER ALFINUS ALTRACTURE of the high first violet of the high first of the high first violet of the high first of the high first of the high first violet of the high first of the | ground cover carries its brown fls. | Logita | order early as we do not stock them | ١. | |
| ASCEPTIS SPECIOSA Attractive fis. followed by green pods. ASTER ALPINUS ASTER ALPINUS ASTER ALPINUS ASTER COMMUTATUS CRASSILUS A small flowered aster of the high mis. Yiolet 6" pH-7 June ASTER COMMUTATUS CRASSILUS A small flowered one, drought resistant, white. 2' pH-7 Aug. ASTER INTOGRIFOLIUS ASTER INTOGRIFOLIUS ASTER INTOGRIFOLIUS ASTER INTOGRIFOLIUS ASTER SCOPULORUM VIOLet 1,-6" pH-8- May-June Have a dozen of moist mt. areas. ASTRAGALUS CLAREDSUS and others The different rattle-pods and vetches have me confused, and I doubt if you would order one if I listed them all. The Oxytropis are better, or are they? ATRYRIUM, see under ADIANTUM ATRAGENE, see CLEMATS BALSAMORRHIZA SADITIATA Leaves like shields, blossoms like sunflowers, roots like fense posts. I send small ones. I send small ones, roots like fense posts. I send small one over coloring red in cold weather. Vellow. 1º pH-5-7 May BESSEYA CINERA Kitten-tails. Red. 6-12" pH-6-6 AprMay ESSEYA RUBER: Red. 6-12" pH-6-6 AprMay ESSEYA RUBER: ROYKINIA HEUCHERIFORMS ENVINCE ASSILUS ASTER LINEWS ASTER LINEWS ASTER LINEWS ASTER SCOPULORUM BOYKINIA LAUGE Thank White. 2' pH-5-6 June JUN-504 ASTER LEVINUS ASTER LINEWS CALCCHOPTUS LINEARS SILUYINY SIS 104-504 Aster, 1-8" pH-5-5 May-June CALCCHOPTUS LINEARS SILUYINY SIS 104-504 ASTER LORDOR THAN IN THE and circular dark colored flands. Mark Lavender, 19H-5-7 June CALCCHOPTUS LINEARS SILUYINY SIS 104-504 ASTER LORDOR SILUYINY SIS 104-504 ALCHOHOTUS LINEARS SILUYINY SIS 104-504 ALCHOHOTUS LINEARS SILUYINY SIS 104-504 CALCCHOPTUS LINEARS SILUYINY SIS 104-504 CALCCHOPTUS LINEARS SILUYINY SIS 104-504 CALCCHOPTUS MITCUS CALCCHOPTUS M | buries its seed in the duff. pH-6-7 | | BRODIAEA DOUGLASII (bulbs) 10 | | |
| ASTER ALFINUS Alow, large single flowered aster of the high mis. Violet. 6" pH-5-7 June ASTER COMMUTATUS CRASSILUS ASTER INTEGRIFOLIUS ASTER INTEGRIFOLIUS ASTER INTEGRIFOLIUS ASTER INTEGRIFOLIUS ASTER SCOPULORUM ASTER SCOPULORUM ASTER SCOPULORUM Have a dozen other species in my herbarium. ASTRAGAMIS GLAREDSUS and others The different rattle-pods and vetches have me confused, and I doubt if you would order one if I listed them all. The Oxytropis are better. Or are they? ATMYRIUM, see under ADIANTUM ATRAGEME, see CLETATIS BALSANGREHIZA SAGITATA Leaves a like shielde, blossoms like sunflowers, roots like femce posts. Yellow, 14-2' pH-7-C April BERBERIS RIPENS CRESSIAN CHEMA KITCHINA (BLANCE) KITCHINA (BLANCE) KITCHINA (BLANCE) APPL-5-C MANDIFICHINA (CALCOCHRUS MITCHINA (CALCOC | | | | | |
| Alor, large single flewered aster of the high mis. Wiolet. 6" pH-5-7 June ASTER COMMUTATUS CRASSIUS A small flowered one', drought resistant. White. 2' pH-7 Aug. ASTER INTEGRIFICIUS ASTER NOTCORITORIO Violet. 4-6" pH-5-6 July-Aug. ASTER ENTEGRIFICIUS ASTER SCOPLORIO Violet. 4-6" pH-5-6 July-Aug. ASTER CONTINUENCE Violet. 4-6" pH-6 May-June Have a dozen other species in my herbarium. ASTRAGENS GLARBOSUS and others The different rattle-peds and vetches have me confused, and I doubt if you would order one if I listed them all. The Oxytropis are better. Or are they? ATRICHM, see under ADLANTUM ATRICHM, see under | ASTER ALPINIS | 201 | |)d- | 50¢ |
| ASTER COMMUTATUS CRASSIUMS A small I flowered one, drought resistant, White. 2' pH-7 Aug. ASTER INTEGRIFOLIUS ASTER INTEGRIFOLIUS ASTER INTEGRIFOLIUS ASTER SCOPILICRUM Violet. 1,-6" pH-56 July-Aug. ASTER SCOPILICRUM Violet. 1,-6" pH-8 May-June Eave a dozen other species in my herbarium. ASTRAGALUS GLARBOSUS and others The different rattle-poids and vetches have me confused, and I doubt if you would order one if I histod them all. The Oxytropic are better. Or are they? ATRYRIUM, see under ADIANTUM ATRAGEME, see CLEMATIS BAISANORRHIZA SAUITTATA Leaves like shields, blossoms like sunflowers, roots like fence posts. I send small ones. Yellow. 1½-2' pH-7-6 April BERBERIS REPENS Creeping Oregon grape. 1 ground cover coloring red in cold weather. Yellow. 1½-2' pH-6-8 May. May BESSEYA CIMER. Kitten-tails. Red. 6-12' pH-6-8 AprMay BESSEYA RUBER. They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTOPIA, 'see FOLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Janesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA HEUCHERIFORMIS Like B. Janesii, but slightly larger and more northern. Fls. dark violet. White. 2' pH-5-6 June 25/2 CALCCHDRIUS SILVAYENSIS 10/2-50/2 CALCCHDRIUS MICHOCARPUS LALGEDRAWS SILVAYENSIS 10/2-50/2 LALGEDRIUS SILVAYENSIS 10/2-50/ | A low, large single flowered aster of | Lop | and circular dark colored glands. My preference. Choose for your- | | |
| ASTER INTEGRIFOLIUS A large one of moist at. areas. Lavender, 12-16" pH-56 July-Aug. ASTER SCOPILORUM Violet, H-6" pH-8 May-June Have a dozen other species in my herbarium. ASTRAGALUS GLARDSUS and others The different rattle-pods and vetches have me confused, and I doubt if you would order one if I listed them all. The Oxytropis are better. Or are they? ATRYRIUM, see under ADIANTUM ATRAGENE, see CLEMATIS BAISANDERHIZA SAGITTATA Leaves like shields, blossoms like sunflowers, rocts like fence posts. I send small ones. Yellow, 1½-2' pH-7-8 April BERBERIS REPENS CROSSING Oregon grape. A ground cover coloring red in cold weather. Yellow, 1' pH-5-7 May BESSEYA CHIER. Kitten-tails. Red. 6-12" pH-6-8 AprMay BESSEYA CHIER. EDSSEYA RUBER. They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORIA, see FOLYGONUM BOYKINIA HEUCHERIFORMS ENEXAL CIPICAL SAGITATA Lave a different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORIA, see FOLYGONUM BOYKINIA MAJOR This big saxifrage and false bugbane (Trantwotteria grandis) lock the same until they bloom. White. 2' pH-5-6 June | A small flowered one, drought | 20¢ | White. 6-12" pH-5-6 May-June | | |
| ASTER INTEGRIFOLIUS A large one of moist mt. areas. Lavender. 12-18" pH-5-6 July-Aug. ASTER SOCKLORUM Violet. 4-6" pH-8 May-June Have a dozen other species in my herbarium. ASTRAGALUS GLAREOSUS and others The different rattle-pods and vetches have me confused, and I doubt if you would order one if I listed them all. The Cxytropis are better. Or are they? ATRAGENE, see CLEMAIS BAISANORRHIZA SAGITATA Leaves like shields, blossoms like sunflowers, roots like fence posts. Yellow. 1½-2' pH-7-0 April BERBERIS RUPENS Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINEA. BESSEYA CINEA. BESSEYA CINEA. BESSEYA RUBEA Kitten-tails. Red. 6-12" pH-6-8 AprMay BESSEYA RUBEA Kitten-tails. Red. 6-12" pu-6-8 AprMay BESSEYA RUBEA ENGLYCONIUM BISTORIA, see FOLYCONIUM BOYKINIA HEUCHERIFOPNIS Lake B. Jamesii, but slightly largor and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they blocm. White. 2' pH-5-6 June ASTER SOCRULORIM 20/ CALCOEDETUS MICHOCARFUS Large lavendor lily of the sagebrush area. 10-16" pH-7 Juno-July CALCOEDETUS MICHOCARFUS Large lavendor lily of the sagebrush area. 10-16" pH-7 Juno-July CALCOEDETUS MICHOCARFUS Large lavendor lily of the sagebrush area. 10-16" pH-7 Juno-July CALCOEDETUS MICHOCARFUS Large lavendor lily of the sagebrush area. 10-16" pH-7 Juno-July CALCOEDETUS MICHOCARFUS Large lavendor lily of the sagebrush area. 10-16" pH-7 Juno-July CALCOEDETUS MICHOCARFUS Large lavendor lily of the sagebrush area. 10-16" pH-7 Juno-July CALCOEDETUS MICHOCARFUS Large lavendor lily of the sagebrush area. 10-16" pH-7 Juno-July CALCOEDETUS MICHOCARFUS Large lavendor lily of the sagebrush area. 10-16" pH-7 Juno-July CALCOEDETUS MICHOCARFUS Large lavendor lily of the sagebrush area. 10-16" pH-7 Juno-July CALCOENTICAL IN CENT. CALCOENTUS MICHOCARFUS 10-4-50/ CALCOENTUS MICHOCARFUS 10-4-50/ CALCOENTUS MICHOCARFUS 10-4-50/ CALCOENTUS G | resistant. White. 2' pH-7 Aug. | | |)¢- | 50¢ |
| LAVENDER. 12-16" pH-5-6 July-Aug. ASTER SCORMORM Violet. 4-6" pH-8 May-June Have a dozen other species in my herbarium. ASTRAGALUS GLARBOSUS and others The different rattle-pods and vetches have me confused, and I doubt if you would order one if I listed them all. The Oxytropis are better. Or are they? ATKYRUM, see under ADIANTUM ATRAGENE, see CLEMATIS BAISANORRHIZA SAGITTATA Leaves like shields, blossoms like sunflowers, roots like fence posts. I send small ones. Yellow. 1½-2' pH-7-0 April BERBERIS RPPENS Creeping Oregon grape. A ground covor coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINER. Kitten-tails. Red. 6-12" pH-6-8 AprMay BESSEYA CINER. Kitten-tails. Red. 6-12" pH-6-8 AprMay BESSEYA RUBRA They are different, but not to the casual observor. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see POLYGONUM BESTEVAR, see POLYGONUM BESTEVAR, see POLYGONUM BESTEVAR, RUBRA This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June ACLOCHRIUS MICHOCARPUS Large lavender lilly of the sagebrush area. LO-16" pH-7 Juno-July CALOCHRIUS MICHOCARPUS Large lavender lily of the sagebrush area. LO-16" pH-7 Juno-July CALOCHRIUS MITIGUS Large lavender lily of the sagebrush area. LO-16" pH-7 Juno-July CALOCHRIUS MITIGUS Local ORGRIUS MITIGUS Large lavender lily of the sagebrush area. LO-16" pH-7 Juno-July CALOCHRIUS MITIGUS Local ORGRIUS MITIGUS Local ORGRIUS MITIGUS Local ORGRIUS MITIGUS Local ORGRIUS MITIGUS Large lavender lily of the sagebrush area. LO-16" pH-7 Juno-July CALOCHRIUS MITIGUS Large lavender lily of the sagebrush area. LOC-10-16" pH-7 Juno-July CALOCHRIUS MITIGUS Large lavender. Large lavender lily of the sagebrush area. Lo-16" pH-7 Juno-July CALOCHRIUS MITIGUS Large lavender lily of the sag | | 20¢ | | | |
| ASTER SCOPULORIM Violet. 4-6" pH-8 May-June Have a dozen other species in my herbarium. ASTRAGALUS CLAREDSUS and others The different rattle-pods and vetches have me confused, and I doubt if you would order one if I listed them all. The Oxytropis are better. Or are they? ATRIGUM, see under ADIANTUM ATRAGEME, see CLEMATIS BALSAMORRHIZA SAGITTATA Leaves like shields, blossoms like sunflowers, roots like fence posts. I send small ones. Yellow. 12-2' pH-7-8 April BERBERIS REPENS Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINERA Kittentails. Red. 6-12" pH-6-8 Apr. May BESSEYA CINERA Kittentails. Red. 6-12" pH-6-8 Apr. May BESSEYA CINERA Kittentails. BOYKINIA HEUCHERIFORMIS BOYKINIA HEUCHERIFORMIS BOYKINIA HEUCHERIFORMIS BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June 20/ CALCOLORTUS MICHOCARPUS Large lavendor lily of the sagebrush area. 10/2-50/ Large lavendor lily of the sagebrush area. 100-18" pH-7 June-July CALCOCHORTUS MICHOCARPUS Large lavendor lily of the sagebrush area. 100-18" pH-7 June-July CALCOCHORTUS MICHOCARPUS Large lavendor lily of the sagebrush area. 100-18" pH-7 June-July CALCOCHORTUS MICHOCARPUS Large neuntain mariposa lily. White with purple spot. 100-15" pH-5-6 June-July CALCOCHORUS MICHOCARPUS Large neuntain mariposa lily. White with purple spot. 100-15" pH-5-6 June-July CALCOCHORUS MICHOCARPUS Large neuntain mariposa lily. White with purple spot. 100-15" pH-5-6 June-July CALCOCHORUS MICHOCARPUS Large neuntain mariposa lily. White with purple spot. 100-15" pH-5-6 June July CALCOCHORUS MICHOCARPUS Large neuntain mariposa lily. White with purple spot. 100-16" pH-7 June-July CALCOCHORUS MICHOCARPUS Large neuntain mariposa lily. White with purple spot. 100-16" pH-7 June-July CALCOCHORUS MICHOCARPUS Large neuntain mariposa lily. White with purple spot. 100-16" pH-6-0 CALCOCHORUS MICHOCARPUS Large neuntain mariposa lily. | | | | Od- | 50¢ |
| Have a dozen other species in my herbarium. ASTRAGALUS CLAREDSUS and others The different rattle-pods and vetches have me confused, and I doubt if you would order one if I listed them all. The Oxytropis are better. Or are they? ATRYRIUM, see under ADIANTUM ATRAGENE, see CLEMATIS BALSAMORRHIZA SAGITTATA Leaves like shields, blossoms like sunflowers, roots like fence posts. I send small ones. Yellow. 1½-2¹ pH-7-8 April BERBERIS REPENS Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINERA Kitten-tails. Red. 6-12" PH-6-8 AprMay BESSEYA RUBRA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see FOLYCONUM BOYKINIA HEUCHERIFORMIS ELMES INCROLARIUS Understands. EOYKINIA HEUCHERIFORMIS ELME B. Jamesii, but slightly largor and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June | CONTRACTOR OF THE PROPERTY OF | 20¢ | | | |
| ASTRAGALUS GLARBOSUS and others The different rattle-pods and vetches have me confused, and I doubt if you would order one if I listed them all. The Oxytropis are better. Or are they? ATRAGENE, see CLEMATIS BALSANORRHIZA SAGITTATA Leaves like shields, blossoms like sunflowers, roots like fence posts. I send small ones. Yellow. 1½-2' pH-7-0 April BERBERIS REPENS Creeping Oregon grape. A ground correct coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINERA Kitten-tails. Red. 6-12" pH-6-8 AprMay BESSEYA RUBRA BESSEYA RUBRA They are different not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see FOLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they blocm. White. 2' pH-5-6 June | Spide in Journal Marriage, Dive Wen | | | 0¢- | 50¢ |
| ASTRAGALUS GLARDOSUS and others The different rattle-pods and vetches have me confused, and I doubt if you would order one if I listed them all. The Oxytropis are better. Or are they? ATRYRIUM, see under ADIANTUM ATRAGENE, see CLEMATIS BALSANORRHIZA SAGITTATA Leaves like shields, blossoms like sunflowers, roots like fence posts. T send small ones. Yellow. 1½-2' pH-7-8 April BERBERIS REPENS Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINERA Kitten-tails. Red. 6-12" pH-6-8 AprMay EESSEYA RUBRA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see FOLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June 10-15" pH-5-6 June CALOCHORTUS NITIBUS 10g-50g CALOCHORT | | | | | |
| The different rattle-pods and vetches have me confused, and I doubt if you would order one if I listed them all. The Oxytropis are better. Or are they? ATHYRIUM, see under ADIANTUM ATRAGENE, see CLEMATIS BALSAMORRHIZA SAGITTATA Leaves like shields, blossoms like sunflowers, roots like fence posts. I send small ones. Yellow. 1½-2' pH-7-0 April BERBERIS REPENS Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINERA Kitten-tails. Ret. 6-12" pH-6-8 AprMay BESSEYA RUBRA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see FOLYGONUM BOYKINIA HEUCHERIFORMS EAKE B. Jamesii, but slightly largor and more northern. Fis. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June CAMCOCHRIUS NITIBUS 104-504 Shrie with purple spot. 10-15" pH-5-6 June CAMCHORTUS NITIBUS 104-504 Similar. From east of the mountains. This has one less chromosome than C. gunnisoni. 10-18" June-July CAMCHORTUS NITIBUS 104-504 Similar. From east of the mountains. This has one less chromosome than C. gunnisoni. 10-18" June-July CAMCHORTUS NITIBUS Similar. From east of the mountains. This has one less chromosome than C. gunnisoni. 10-18" June-July Other bulbs: Allium cernum 54-354 CLANTONIA LINCEDLATA 104-354 ENTITLLINIA TUBICA ENTITLLINIA TUBICA 104-504 ENTITLLINIA TUBICA ENTITLLINIA TENTILLI 104-504 CAMCHORTUS NITIBUS CAMCHORTUS NITIBUS CAMCHORTUS NITIBUS CAMCHORTUS NITIBUS CAMCHORTUS NITIBUS CAMCHORTUS NITIBUS CAMCHORTUS NUTIBLIA 104-504 CAMCHORTUS NITIBUS CAMCHORTUS NUTIBLIA 104-504 CAMCHORTUS NITIBUS CAMCHORTUS NITIBUS CAMCHORTUS NITIBUS CAMCHORTUS NUTIBLIA 104-504 CAMCHORTUS NITIBUS CAMCHORTUS NUTIBLE 104-504 CAMCHORTUS NITIBUS CAMCHORTUS NITIBUS CAMCHORTUS NITIBUS CAMCHORTUS PRUTHILIA CAMCHORTUS NITIBUS CAMCHORTUS PRUTHILIA CAMCHORTUS CAMCHORTUS CAMCHOR | ASTRACATING CLAPPOSIG and others | 254 | | | |
| have me confused, and I doubt if you would order one if I listed them all. The Oxytropis are better. Or are they? ATRAGEME, see Under ADIANTUM ATRAGEME, see CLEMATIS BALSAMORRHIZA SAGITTATA Leaves like shields, blossoms like sunflowers, roots like fence posts. I send small ones. Yellow. 1½-2' pH-7-8 April BERBERIS REPENS Creeping Oregon grape. A ground core coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINERA ENSEMBERIA ENTITIALIII 10g-50g Cher bulbs: Allium cernuum 5g-35g CLAMISOLLITA 10g-35g ENTITIALIII 10g-50g Cher bulbs: Allium cernuum 5g-35g CLAMISOLLITA 10g-35g ENTITIALIIII 10g-50g Cher bulbs: Allium cernuum 15g-35g CLAMISOLLITA 10g-35g ENTITIALIII 10g-50g Cher bulbs: Allium cernuum 15g-35g CLAMISOLLITA 10g-35g ENTITIALIIII 10g-50g CLAMISOLLITA ENTITIALIII 10g-50g ENTITIALIIII 10g-50g ENTITI | | 274 | CALOCHORTUS NITIDUS | od- | 50¢ |
| The Oxytropis are better. Or are they? ATHYRIUM, see under ADIANTUM ATRAGENE, see CLEMATIS BALSAMORRHIZA SAGITTATA Leaves like shields, blossoms like sunflowers, roots like fence posts. I send small ones. Yellow. l½-2' pH-7-8 April BERBERIS ROPENS Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINERA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see POLYGONUM BOYKINIA HEUCHERIFORMIS BOYKINIA MAJOR CAMOCHORTUS NUTTAINII 104-504 Similar. From east of the mountains. This has one loss chromosome than C. gunnisoni. 10-18" June-July Other bulbs: Allium cermuum 54-354 ALLIUM TEXTILE 104-504 CLAYTONIA LIMCEOLATA 104-354 EMYTIRONIUM GRAMDIFLORUM 154-754 ZYG.DENUS GRAMINEUS 104-754 THELLIUM OVATU 154-754 ZYG.DENUS GRAMINEUS 104-504 DORMANT ROOTS are usually available if ordered before their dormant soason. ARNICA CORDIFOLIA 104-504 DORMANT ROOTS are usually available if ordered before their dormant soason. ARNICA CORDIFOLIA 104-554 DORMANT ROOTS are usually available if ordered before their dormant soason. ARNICA CORDIFOLIA 104-554 DORMANT ROOTS are usually available if ordered before their dormant soason. ARNICA CORDIFOLIA 104-554 DORMANT ROOTS are usually available if ordered before their dormant soason. ARNICA CORDIFOLIA 104-555 ARNICA CORDIFOLIA 104-555 CACTI, SOTO hardy. See OPUNTIA & CORYPHANTA See OPUNTIA & CORYPHANTA CLATTALLOW TEXTILE 104-505 CLATTONIA LIMCEOLATA 104-755 TRILLIUM OVATU 154-756 ZYG.DENUS GRAMINEUS 104-756 THELLIUM OVATU 154-756 ZYG.DENUS GRAMINEUS 104-756 THELLIUM OVATU 154-756 CACTI, PUBLO ARNICA CORDIFOLIA 104-555 ARNICA CORDIFOLIA 104-556 DORMANT ROOTS are usually available if ordered before their dormant soason. ARNICA CORDIFOLIA 104-556 ARNICA CORDIFOLIA 104-556 | | | Large mountain mariposa lily. | • | |
| Similar. From east of the mountains. This has one less chromosome than C. gunnisoni. 10-18" June-July Leaves like shields, blossoms like sunflowers, roots like fence posts. I send small ones. Yellow. 1½-2' pH-7-8 April EERBERIS REPENS Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINERA Kitten-tails. Red. 6-12" pH-6-8 AprMay EESSEYA RUBRA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. EISTORTA, see FOLYGONUM EOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. EOYKINIA MAMOR CALTHA LEPTOSERALA OR KOTUNDIFOLIA EOYKINIA BEREERERS AGGITTATA EARLIUM TEXTILE 104-504 CALTHA LEPTOSERALA OR KOTUNDIFOLIA 254 CALTHA LEPTOSERALA OR KOTUNDIFOLIA EOYKINIA BEREERINIS EOYKINIA BEREERERS EARLIUM TEXTILE 104-504 EMTHRONIUM GRANDIFLORUM 154-754 EMTHILLIUM TEXTILE 104-504 FRITILLARIA PUDICA 104-754 EMTHRONIUM GRANDIFLORUM 154-754 EMTHRONIUM GRANDIFLORUM 154-754 EMTHRONIUM GRANDIFLORUM 154-754 EMTHILLIUM TEXTILE 104-505 EMTHRONIUM GRANDIFLORUM 154-754 EMTHRONIUM GRANDIFLORUM 154-754 EMTHRONIUM GRANDIFLORUM 104-104 EMTHRONIUM GRANDIFLORUM 104-104 EMTHRONIU | AND THE RESERVE OF THE PARTY OF | ? | | | |
| ATRAGENE, see CLEMATIS BALSAMORRHIZA SAGITTATA Leaves like shields, blossoms like sunflowers, roots like fence posts. I send small ones. Yellow. 12-2' pH-7-8 April BERBERIS REPENS Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINERA Kitten-tails. Red. 6-12" pH-6-8 AprMay BESSEYA RUBRA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see FOLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June This has one less chromosome than C. gunnisoni. 10-18" June-July Other bulbs: Allium cernum 54-354 ALLIUM TEXTILE 104-504 CLMYTONIA LANCEOLATA 104-354 CLMYTONIA LANCEOLATA 104-354 ENTIFLLIMO VATUV 154-754 ZYGLDRIUS GRUTNEUS 102-504 DORMANT ROOTS are usually available if ordered before-their dormant season. ARNIGA CORDIFOLIA DELPHINIUM BICOLOR 104-504 ARNIGA CORDIFOLIA 104-354 DORMANT ROOTS are usually available if ordered before-their dormant season. BESSEYA RUBRA 204 ARNIGA CORDIFOLIA 104-504 ARNIGA CORDIFOLIA 105-504 ARNIGA CORDIFOLIA 104-504 ARNIGA CORDIFOLIA 104-504 ARNIGA CORDIFOLIA 105-504 ARNIGA CORDIFOLIA 104-504 ARNIGA CORDIFOLIA 105-504 ARNIGA CORDIFOLIA 104 | ATRYRIUM, see under ADIANTUM | | A CONTRACTOR OF THE CONTRACTOR | , | 50¢ |
| BALSAMORRHIZA SAGITATA Leaves like shields, blossoms like sunflowers, roots like fence posts. I send small ones. Yellow. 1½-2' pH-7-8 April BERBERIS REPENS Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINERA Red. 6-12" pH-6-8 AprMay BESSEYA RUBRA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see FOLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more morthern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June Other bulbs: Allium cernuum 5%-35% ALLIUM TEXTILE 10%-50% CAMISSIA ESCULANTA 5%-35% ALLIUM TEXTILE 10%-50% CAMISSIA ESCULANTA 5%-35% ALLIUM TEXTILE 10%-50% CAMISSIA ESCULANTA 5%-35% CAMISTIA ESCULANTA 5%-5% CAMISTIA ESCULANTA 5%-5% CAMISTIA ESCULANTA 5%-5% CAMISTIA ESCULANTA 5%-5% CAMISTIA ESCULANTA 10%-5% CAMISTI | ATRAGENE, see CLEMATIS | | This has one less chromosome than | 5. | |
| Leaves like shields, blossoms like sunflowers, roots like fence posts. I send small ones. Yellow. 1\frac{1}{2}-2' pH-7-8 April BERBERIS REPENS Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINERA Kitten-tails. Red. 6-12" pH-6-8 AprMay BESSEYA RUBRA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BESTORTA, see FOLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June Other bulbs: Allium cermuum 54-354 Allium textile 104-504 CLAYTONIA LamceOLLTA 104-354 CLAYTONIA LamceOLLTA 104-354 FRITILLIRIA PUDICA 104-354 TRF-LLIUM OVATUV 154-754 ZYG.DENUS GRUNINEUS 104-504 ZYG.DENUS GRUNINEUS 104-504 ARNIGA CORDIFOLIA 104-354 DORMANT ROOTS are usually available if ordered before-their dormant season. ARNIGA CORDIFOLIA 104-504 DORMANT ROOTS are usually available of ordered before-their dormant season. ARNIGA CORDIFOLIA 104-504 DELPHINIUM BICOLOR 104-504 DELPHINIUM BICOLOR 105-504 DELPHINIUM BICOLOR 105-504 DELPHINIUM BICOLOR 106-504 DORMANT ROOTS are usually available if ordered before-their dormant season. FULLY MATCHINE 104-504 DORMANT ROOTS are usually available if ordered before-their dormant season. FULLY MATCHINE 104-504 DORMANT ROOTS are usually available if ordered before-their dormant season. FULLY MATCHINE 104-504 DORMANT ROOTS are usually available if ordered before-their dormant season. FULLY MATCHINE 104-504 DORMANT ROOTS are usually available if ordered before-their dormant season. FULLY MATCHINE 104-504 DORMANT ROOTS are usually available if ordered before-their dormant season. FULLY MATCHINE 104-504 DORMANT ROOTS are usually available if ordered be | BALSAMORRHIZA SAGITTATA | 25¢ | | 05- | |
| I send small ones. Yellow. 12-2' pH-7-8 April BERBERIS RCPENS Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINEA. Kitten-tails. Red. 6-12" pH-6-8 AprMay BESSEYA RUBRA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BESTORTA, see POLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they blocm. White. 2' pH-5-6 June ALLIUM TEXTILE CAMNSSIA ESCULANTA CALYTONIA LINCEDLATA 104-354 PRITILLARIA PUDICA 104-754 TRPILLIUM OVATUW 154-754 ZYG.DENUS ELEG.MS 104-754 ARNIGA CORDIFOLIA 104-354 ARNIGA CORDIFOLIA DELPHINIUM BICOLOR 104-504 ARNINGCULUS GLABERRIMUS 104-504 LEVISIA REDIVIVA 204-1.00 RANNUNCULUS GLABERRIMUS 104-254 Fully dormant plants look dead, but are alive. They are harder to find when dormant, but safer to more. CACTI, zero hardy. See OFUNTIA & CORYPHANTA CALTHA LEPTOSEPALA or ROTUNDIFOLIA 204 Marsh marigolds are best in wet places near cold running water. | | | Other bulbs: | - , : | 75/ |
| CLAYTONIA LINCEDLATA 10g-35g ERYTHRONIUM GRANDIFLORUM 15g-75g ERYTHRONIUM GRANDIFLORUM 15g-75g FRITILLIRIA PUDICA 10g-50g ZYG.DENUS ELEG.NS 2YG.DENUS ELEG.NS 10g-50g ZYG.DENUS GRANINEUS DORMANT ROOTS are usually available if ordered before their dormant season. BESSEYA RUBRA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see POLYGONUM BISTORTA, see POLYGONUM BISTORTA, see POLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June CLAYTONIA LINCEDLATA 10g-35g ERYTHRONIUM GRANDIFLORUM 15g-75g TRILLIUM OVATU' 15g-75g ARNIGA CORDIFOLIA 10g-35g ERYTHRONIUM GRANDIFLORUM 15g-75g TYG.DENUS ELEG.NS 10g-50g ARNIGA CORDIFOLIA 10g-35g ERYTHRONIUM GRANDIFLORUM 15g-75g TYG.DENUS GRUMINEUS 10g-50g ARNIGA CORDIFOLIA 10g-50g DORMANT ROOTS are usually available if ordered before their dormant season. ARNIGA CORDIFOLIA 10g-35g BORMANT ROOTS are usually available if ordered before their dormant season. BELPHINIUM BICOLOR 10g-50g DORMANT ROOTS are usually available if ordered before their dormant season. BELPHINIUM BICOLOR 10g-50g DORMANT ROOTS are usually available if ordered before their dormant season. BESSEYA RUBRA ARNIGA CORDIFOLIA 10g-35g DORMANT ROOTS are usually available if ordered before their dormant season. FULLY UNIV BICOLOR 10g-50g DORMANT ROOTS are usually available if ordered before their dormant season. FULLY IN ORGHNIEUS CLAYTONIA LINCEDLATA 10g-50g ARNIGA CORDIFOLIA 10g-50g DORMANT ROOTS are usually available if ordered before their dormant season. FULLY IN ORGHNIEUS CLAYTONIA LINCEDLATA 10g-50g ARNIGA CORDIFOLIA 10 | I send small ones. | | | | |
| BERBERIS REPENS Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May BESSEYA CINERA Kitten-tails. Red. 6-12" pH-6-8 AprMay BESSEYA RUBRA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see FOLYGONUM BISTORTA, see FOLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June 30¢ ERYTHRONIUM GRANDIFLORUM 10¢- 75¢ FRITILIARIA PUDICA 10¢- 75¢ FRITILIARIA PUDICA 10¢- 75¢ FRITILIARIA PUDICA 10¢- 50¢ ARNIGA CORDIFOLIA 10¢- 50¢ ARNIGA CORDIFOLIA 10¢- 50¢ DOEMANT ROOTS are usually available if ordered before-their dormant season. ARNIGA CORDIFOLIA 10¢- 50¢ DOEMANT ROOTS are usually available if ordered before-their dormant season. BORMANT ROOTS are usually available if ordered before-their dormant season. ARNIGA CORDIFOLIA 10¢- 50¢ DOEMANT ROOTS are usually available if ordered before-their dormant season. BORMANT ROOTS are usually available if ordered before-their dormant season. BORMANT ROOTS are usually available if ordered before-their dormant season. BORMANT ROOTS are usually available if ordered before-their dormant season. ARNIGA CORDIFOLIA 10¢- 50¢ DOEMANT ROOTS are usually available if ordered before-their dormant season. BORMANT ROOTS are usually available if ordered before-their dormant season. ARNIGA CORDIFOLIA 10¢- 50¢ DOEMANT ROOTS are usually available if ordered before-their dormant season. BORMANT ROOTS are usually available if ordered before-their dormant season. ARNIGA CORDIFOLIA 10¢- 50¢ DOEMANT ROOTS are usually available if ordered before-their dormant season. ARNIGA CORDIFOLIA 10¢- 50¢ DOEMANT ROOTS are usually available if ordered before-their dormant season. ARNIGA C | Yellow. 1=2-2 pH-7-8 April | | | | |
| Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May 20¢ TRILLIUM OVATU' 15¢-75¢ ZYGADENUS ELEGANS 10¢-50¢ ZYGADENUS GRAMINEUS 10¢-50¢ ELESSEYA CINERA (A control of the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BESTORTA, see FOLYGONUM 20¢ Indicate and more northern. Fls. dark violet. BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June FRITILLARIA PUDICA 10¢-75¢ TRILLIUM OVATU' 15¢-75¢ TRILLIUM OVATU' 15¢-75¢ TRILLIUM OVATU' 15¢-75¢ ZYGADENUS ELEGANS 10¢-50¢ ZYGADENUS ELEGANS | BERBERIS REPENS | 30¢ | | | |
| Yellow. 1' pH-5-7 May BESSEYA CINERA Kitten-tails. Red. 6-12" pH-6-8 AprMay BESSEYA RUBRA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see FOLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June 20¢ ARNICA CORDIFOLIA DELPHINIUM BICOLOR 10¢- 50¢ DELPHINI | | 13153% | FRITILLARIA PUDICA | 0¢- | 75¢ |
| EESSEYA CINERA Kitten-tails. Red. 6-12" pH-6-8 AprMay BESSEYA RUBRA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see POLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered before their dormant season. DORMANT ROOTS are usually available if ordered bef | THE STATE OF THE S | | · · · · · · · · · · · · · · · · · · · | | |
| BESSEYA CINERA Kitten-tails. Red. 6-12" pH-6-8 AprMay BESSEYA RUBRA' They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see POLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available if ordered before-their dormant season. DORMANT ROOTS are usually available are asson. DOR ARNICA CORDIFICIA HYDROPHYLLUM OAPITATUM 15¢-50¢ MERNINCULUS GLABERRIMUS Like B. Jamesii, but slightly larger are alive. They are harder to find when dormant, but safer to more. CA | · · · · · · · · · · · · · · · · · · · | · · · | | | |
| Red. 6-12" pH-6-8 AprMay BESSEYA RUBRA They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see FOLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June ARNICA CORDIFOLIA 10¢-35¢ ARNICA CORDIFOLIA 10¢-35¢ DELPHINIUM BICOLOR 10¢-50¢ DODECATHEON CUSICKII 15¢-50¢ LEWISIA REDIVIVA 20¢-1.00 MERTENSIA LONGIFLORA 20¢-1.00 MERTENSIA LONGIFLORA 20¢-1.00 MERANUNCULUS GLABERRIMUS 10¢-25¢ CACTI, zero hardy. See OPUNTIA & CORYPHANTA CALTHA LEPTOSEPALA OF ROTUNDIFOLIA Marsh marigolds are best in wet places near cold running water. | - PRESIDENCE - 1-4 PRESIDENCE - 17 PRESIDENCE | 20¢ | dramatic mean air | | 20k |
| They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see FOLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June DELPHINTUM BICOLOR DODECATHEON CUSICKII 15¢-50¢ DELPHINTUM BICOLOR DODECATHEON CUSICKII 15¢-50¢ LEWISIA REDIVIVA 20¢-1.00 RANUNCULUS GLABERRIMUS Pully dormant plants look dead, but are alive. They are harder to find when dormant, but safer to more. CACTI, zero hardy. See OPUNTIA & CORYPHINTA CALTHA LEPTOSEPALA or ROTUNDIFOLIA Marsh marigolds are best in wet places near cold running water. | | | the state of the s | | n. |
| They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find. BISTORTA, see POLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June DDLPHINIUM BICOLOR DODECATHEON CUSICKII 15¢-50¢ DDECATHEON CUSICKII 15¢-50¢ NERTENSIA LONGIFLORA 20¢-1.00 RANUNCULUS GLABERRIMUS 10¢-25¢ Fully dormant plants look dead, but are alive. They are harder to find when dormant, but safer to more. CACTI, zero hardy. See OPUNTIA & CORYPHANTA CALTHA LEPTOSEPALA or ROTUNDIFOLIA 20¢ Marsh marigolds are best in wet places near cold running water. | | 20¢ | ARNICA CORDIFOLIA | 0d- | 35€ |
| which, leave it to me and I'll send the first one I find. BISTORTA, see POLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June HYDRO PHYLLUM CAPITATUM 154-506 HEWISIA REDIVIVA 204-1.00 MERTENSIA LONGIFLORA 204-1.00 Fully dormant plants look dead, but are alive. They are harder to find when dormant, but safer to more. CACTI, zero hardy. See OPUNTIA & CORYPHANTA CALTHA LEPTOSEPALA or ROTUNDIFOLIA Marsh marigolds are best in wet places near cold running water. | | 35.7 | | | |
| the first one I find. BISTORTA, see POLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June LEWISIA REDIVIVA 20¢-1.00 MERTENSIA LONGIFLORA 20¢-1.00 FANUNCULUS GLABERRIMUS Fully dormant plants look dead, but are alive. They are harder to find when dormant, but safer to more. CACTI, zero hardy. See OPUNTIA & CORYPHANTA CALTHA LEPTOSEPALA or ROTUNDIFOLIA Marsh marigolds are best in wet places near cold running water. | | | | | |
| BISTORTA, see POLYGONUM BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June MERTENSIA LONGIFLORA 20¢-1.00¢ RANUNCULUS GLABERRIMUS Fully dormant plants look dead, but are alive. They are harder to find when dormant, but safer to more. CACTI, zero hardy. See OPUNTIA & CORYPHANTA CALTHA LEPTOSEPALA or ROTUNDIFOLIA Marsh marigolds are best in wet places near cold running water. | | | | | |
| BISTORTA, see POLYGONUM RANUNCULUS GLABERRIMUS 104-254 BOYKINIA HEUCHERIFORMIS Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June RANUNCULUS GLABERRIMUS Fully dormant plants look dead, but are alive. They are harder to find when dormant, but safer to more. CACTI, zero hardy. See OPUNTIA & CORYPHANTA CALTHA LEPTOSEPALA or ROTUNDIFOLIA 204 Marsh marigolds are best in wet places near cold running water. | E. C. L. L. L. STOR D. L. | | | | |
| Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June Fully dofmant plants flook dead, but are alive. They are harder to find when dormant, but safer to more. CACTI, zero hardy. See OPUNTIA & CORYPHANTA CALTHA LEPTOSEPALA or ROTUNDIFOLIA 20¢ Marsh marigolds are best in wet places near cold running water. | BISTORTA, see POLYGONUM | | | | |
| Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June are alive. They are harder to find when dormant, but safer to more. CACTI, zero hardy. See OPUNTIA & CORYPHANTA CALTHA LEPTOSEPALA or ROTUNDIFOLIA 20¢ Marsh marigolds are best in wet places near cold running water. | and the second s | 50¢ | Fully dormant plants look dead, bu | t | |
| BOYKINIA MAJOR This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June CACTI, zero hardy. See OPUNTIA & CORYPHANTA CALTHA LEPTOSEPALA or ROTUNDIFOLIA Marsh marigolds are best in wet places near cold running water. | The state of the s | 354 | are alive. They are harder to find | | |
| This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June CALTHA LEPTOSEPALA or ROTUNDIFOLIA Marsh marigolds are best in wet places near cold running water. | | 54 | when dormand, but safer to more. | | |
| bugbane (Trautvetteria grandis) look the same until they bloom. White. 2' pH-5-6 June CALTHA LEPTOSEPALA or ROTUNDIFOLIA 20¢ Marsh marigolds are best in wet places near cold running water. | The state of the s | 25¢ | | | |
| white. 2' pH-5-6 June CALTHA LEPTOSEPALA or ROTUNDIFOLIA 20¢ Marsh marigolds are best in wet places near cold running water. | | | See OPUNTIA & CORYPHANTA | | |
| White. 2' pH-5-6 June Marsh marigolds are best in wet places near cold running water. | | | CALTHA LEPTOSEPALA or ROTUNDIFOLIA | | 200 |
| | White. 2' pH-5-6 June | | Marsh marigolds are best in wet | v | rot |
| | From Montana, it's got to be hardy. | | | | |

| guess sources, in a time on on heart. | | 4 | single sets, swhellen | |
|---|-----------|-----|---|-----|
| CALYPSO BULBOSA Well known fairy's slipper. Grows in damp, cool woods. Best moved in late fall, but hard to find then. Pink. 2-4" pH-6-7 June | 20¢ | | CLAYTONIA LANCEOLATA (see bulbs) A desirable spring beauty, despite the gnats and mosquitoes where I dig them. White. 2-4" pH-5-7 AprJune | |
| CAMASSIA QUAMISH (bulbs) Blue. 18" pH-5-7 May-June Dozen, "Lost Lake" in Yellowstone Park may | 5¢ 35¢ | | CLAYTONIA MEGARRHIZA Big-rooted spring beauty, and really a beauty. | 25¢ |
| have been a meadow of these flowers. Plant lost of this one. CAMPANULA PETIOLATA | 20¢ | . 4 | QLAYTONIA PERFOLIATA Miner's lettuce. Edible in salads. Well maybe, don't like salads anyway. White. 6-8" pH-7 May | 15¢ |
| Scotch bluebell. In all rock gardens. Blue. 10-15" pH-6-7 All summer CAMPANULA PARRYI IDANOENSIS Similar. I collected the type specimer | 25¢ | | *CLEMATIS COLUMBIANA Atragene. Try this trailing purple Clematis with vine honeysuckle (Lonicera ciliosa) on a shaded wall. | 35¢ |
| without recognizing the difference. CAREX FILIFOLIA Nigger wool sedge. A dry site grass- like plant. 6" We have a sedge | 20¢ | | Purple. 10' pH-6-7 June CLEMATIS DOUGLASIA The urn-flowered Clematis. Blue. 1-2' pH-6-7 June | 30¢ |
| *CASTILLEJA HISPIDA Paint brush of well drained hillsides. Red to orange. 12" pH-7-8 May | 25% | | CLEMMIS LINGUSTICIFOLIA White flowered vine for fences and sunny banks. White 15' pH-7-8 June-July | 35¢ |
| CASTILLEJA MINIATA Red paint brush for damp bottoms. Red. 12-18" pH-5-7 CASTILLEJA PULCHELLA or C.OXIDENTALIS | 25¢ | | CLINTONIA UNIFLORA Queencup. White flower followed by large, porcelain blue berry. Plants at intervals along an endless, under- | 15¢ |
| Reddish-yellow. 6" pH-5-7 June Castillejas tempermental in new homes. CERASTIUM ARVENSE Might find C. STRICTUM if you pre- | | | ground rhizome. White. 6" pH-5-7 June COLLOMIA DEBILIS Perennial Collomia from the rock slides. Often far through the rocks from the soil about its roots. Blue. 6-8" pH-5-6 May-June | 30¢ |
| fer thinner leaves, or C. EARLEI from the home of the Big Horn sheep if you like the leaves wider. White. 6" pH-8-7 Apron | szk | | COM ANDRA PALLIDA Toad-flax, but unlike either toad or flax. White: 12" pH-7 May-June | 25¢ |
| CHAENACTIS DOUGLASII Bride's bouquet. Biennia. Give them earlier and stay single. White. 1-2' pH-7-8 Summer | 20¢ | | COPTIS OCCIDENTALIS Gold-thread (from the yellow root). White. 6" pH-5-7 May-June | 15¢ |
| PRANTEGET TOWTO, INC. BE SETTLEVIEW | 30¢ : | | COR.LLORRHIZA I ACULATA Coral root. Even I don't know why I list this. Hope I keep fungi out. | 25¢ |
| Chimaphila menziesii. Pink. 6-12" pH-6-7 June-Aug. | | | CORNUS C.N. DENSIS Bunchberry. Part shade ground cover. White. 6" pH-5-6 June-July | 25¢ |
| CHRY SC PSIS VILLOSA Golden Aster of waste places. It will grow! Yellow. 12" pH-7 May-June | 15¢ | | CORYDALIS AUREA Golden Corydalis | 30¢ |
| CHRYSOTHAINUS NAUSTOSUS Or one of the 40 or more varieties. Round in form. Pale, with matted hairs CHRYSOTHAINUS VISCIDIFIORUS Greener; with broom-like branches. | 35¢· | | CORYPHANTA VIVIPARA 20 to Purple flowers, green fruits. What size, please. 20¢ plus 1¢ for each extra stem. | 50¢ |
| CIRSIUM FOLIOSUM Evert's thistle of Yellowstone Park. He lived a month on it, but lost weigh | 25¢ | | CORYPHANTA MISSOURIENSIS Smaller straw-colored flowers. Red fruits in spring, more showy than the summer flowers. Possibly CORYPHANTA SIMILIS | 25¢ |

| CORY PH.NT IS are of the ball or pin- cushion type. More peaceful than Opur C. missouriensis may be handled bare- | | DRYAS OCTOPETALA. White mountain avens. | 35¢ |
|--|--------|--|------|
| handed if you can find it. | | EPILOBIUM ANGUSTIFOLIUM Fireweed. Often follows a forest | 25¢ |
| CRYPHANTHA SHELDONII | 20¢ | fire and rather looks like one. | |
| Popcorn flower. Don't eat it! Corny? | | Rose. 3-5' .pH-5-7 June | |
| White. 9-12" May-June | | but solder includion spall places. | |
| CRYPTOGRAMMA, see under ADIANTUM | 304 | ERIGERON, daisy to you. Of many in my herbarium I recommend: | . br |
| CYFRIPEDIUM FASCICULATUM | \$1.00 | ERIGERON COMPOSITUS | 10¢ |
| Large twin leaves halfway up stem | 2014 | White, because it is easy to get. | |
| & cluster of small reddish flowers. Red. 8" pH-5-6 June-July | | White. 4-6" pH-7-8 Apr. | TUR |
| DIMEST DOUGHTLOY | No. | ERIGERON CONCINNUS | 20¢ |
| *CYPRIPEDIUM MONTANUM | \$1.00 | Small blue, because it is easy to | |
| White lady's slipper. This orchid is | | grow. Or, E. CORYMBOSUS, or DIVERGENS | 3. |
| poisonous to a few people including m | ne. | Similar. If you are particular as to | |
| White. 12-18" pH-5-6 May-July | 304 | species, add 5¢ | 29.8 |
| | | Blue. 8-12" pH-6-7 May-Aug. | |
| CYSTOPTERIS, see under ADIANTUM | | Shirtan Ma shirtan and a second | 05.4 |
| PART DITARING DISCOUNT OF THE | 104 | ERIGERON COULTERI | 25¢ |
| *DELPHINIUM BICOLOR | 10¢ | A large white one of moist woods. | 2120 |
| An easy, showy, dwarf larkspur. None better. | DUN, | White. 8-12" pH-5-6 July-Aug. | |
| Royal blue. 8-12" pH-6-8 May | | ERIGERON MACRANTHUS | 054 |
| Royal blue. 0-12 ph-0-0 may | | | 25¢ |
| DISPORUM TRACHYCARPUM | 25¢ | A large blue one. Blue. 12-18" pH-6-7 July-Aug. | |
| False Solomon's seal. | 17 F | blue. 12-10 ph-0-7 sury-hug. | |
| Yellow. 12" pH-5-7 May-lug. | Ink . | ERIGERON MELANOCEPHALUS | 25¢ |
| | | White alpine daisy. Purple or black | -27 |
| DODECATHEON CONJUNGENS | 15¢ | woolly hairs beneath the flowers. | |
| Purple. 6" pH-7-8 May-June | | PARTICIPATE TO CALLED THE CONTROL OF THE PARTICIPATE OF THE PARTICIPAT | SON |
| LSV8067 81 11087 | | ERIGERON MONTANENSIS | 25¢ |
| DODECATHEON PAUCIFLORUM CUSICKII | 10¢ | White. 6" May-June | |
| Our best. A dryer, more sunny site | 142 | | 05/ |
| than pauciflorum Leaves soft-hairy. | 243 | ERIGERON SALSUGINOSUS | 25¢ |
| Purple corolla with yellow throat. | | Similar. From the high country. Lavender. 12-18" pH-5-6 July-lug. | |
| DODECATHEON PAUCIFIORUM | 15¢ | ravender, 12-10 bu-2-0 anth-rafe. | |
| Purple. 8" pH-5-6 June | 13 | ERIGERON SIMPLEX | 25¢ |
| rui pro o pri-y-o ourio | | or possibly E. GR.WDIFLORUS. | > |
| DODECATHEON RADICATUM | 25¢ | Large flowered mountain daisies. | |
| A large one for a cool, wet place. | | HTCHTAN PORTS | 25% |
| Blooms at 6" ripens seed at 2' | 754 | ERIGERON TRIFIDUS | 25¢ |
| Pink. pH-5-6 May-June | 163 | The cutest little one of the lot. | |
| | | Compact, green cushion supporting | |
| DOUGLASIA MONTAWA | 25¢ | abundant white daisies. | 00.7 |
| Moss pink. Difficult unless suited, | 46.0 | White. 2-4" pH-7-8 AprJuly | |
| but hardly a nything better if it do well. Prefers scree soil or wall. | 69 | ERIGERON UNIFLORA | 25¢ |
| Pink. 2" pH-7-8 Apr | | Blue alpine daisy. | ٦٧٢ |
| Firms Chronings All someth | | LOLL A SHOULD AND AND AND AND AND AND AND AND AND AN | |
| DRABA ANDIANA, AUREA, DENSIFOLIA | 25¢ | *ERIOGONUM OVALIFOLIUM | 20% |
| and others. Small tufts of green | | Gray-white mounds supporting many | |
| covered with racemes of bright yellow | N. | white to rose flower heads. | |
| flowers. Screet Not too easy. | | Give it a scree soil, mostly drainage | 9. |
| Solden, Sella Diesels Layers | 05.4 | White. 6" pH-7 AprMay | |
| DROSACE CARINATA | 25¢ | EDITOCOMBA DIDEDI | 251 |
| Rock jasmine, resembles Douglasia but is white flowered. | 462 | eriogonum piperi or eriogonum fl.vum | 25¢ |
| PAG TP MILTOG TTOMALOG'S | 024 | Medium green with yellow flowers. | 12% |
| DROSERA ROTUNDIFOLIA | 25¢ | Yellow. 8" pH-5-7 AprNay | |
| A bog plant, quite small to be | | Teen then meantains, white, had | 1 |
| carniverous. | | ERIOGON UM SUBALPINUM | 25¢ |
| be gon sussition. Groy-shies follogs, | | Larger, yellowish-white flowers | |
| DRYOPTERIS, see under ADIANTUM | Seria | turning rose with age. | |
| the contract of the contract o | 05.4 | Cream. 12" pH-5-7 May-July | |
| DRY AS DRUMONDII | 25¢ | We have many other Eriogonums of whi | ch |
| Yellow mt. avens. Up near the Canadiane, available when I go there. | all. | E. MICROTHECUM is shrubby. | 35¢ |
| TIME SASTITUTE MUCH I PO CHOLO. | 1 | | 11 |

EPIGTRON MELANOCEPHALUS (or MANUS) 25¢

| TYDO'S PASTY APPROVADED TO BE EMBROS | 0 | D* HEGSDINDGO TO SPROPPA | 25% |
|---|--|--|----------|
| ERIOPHORUM CHAMISSONIS | 25¢ | GILIA AGGREGATA ATTENUATA | 201 |
| Cream puffs. 8-12" pH-5 Bog. July | -77 | The first choice of our humming- | |
| oroam purious of the year, | | birds. Biennial, reseeds. | |
| *ERIOPHYLLUM LANATUM | 25¢ | Scarlet. up to 2' pH-6-7 May-June | |
| Oregon sunshine. Grey-white foliage, | | remice, yakkowin anaka Tionors | |
| likes the gravelly soil of a rock slice | de | GILIA CEPHALOIDEA | 25¢ |
| or road bank. Short lived, but reseeds | | From high mountains. White. 4-6" | -, |
| Golden. 12-18" pH-5-6 May-Aug. | 5.28 | KOLLOWS & WASHING APPARENT | |
| | , | GOODYERA DICIPIENS | 15% |
| ERIPHYLLUM INTEGRIFOLIUM | 25¢ | Rattlesnake plantain. Why don't you | |
| Small Oregon sunshine; worth its | | like it? Deep woods. | See |
| weight in gold when happy. | 25/4 | White. 10" pH-5-7 May-July | |
| Golden. 6-12" pH-5-6 May-Aug. | | This time of the same to the same of | |
| Ticmers, Serect For too 1-8y- | | diane, description, in the second | 50¢ |
| ERIODIUM CICUTARIUM | 25¢ | all grass-like plants, grow in Montana. | |
| Stork's bill. Little, but comes | | If there is one you want, name it. | and a |
| back like red ants. | Self | CANCELLAN DA HILLETTAN | 05/ |
| Pink. Creeping. All summer | | GUTIERREZIA SAROTHARAE | 25\$ |
| Driving DV Allandar Line A | AF / | Turpentine weed. Green in dry weather | records. |
| *ERITRI CHIUM ELONGATUM | 25¢ | Some good in most of us if you look | 360 |
| ERITRICHIUM HOWARDII | 25¢ | for it. Yellow. 12" pH-7-9 Summer | |
| Alpine forget-me-not. Prettiest | 636 | TANDA INT A DET COMMANDE OF | 254 |
| of the timberline plants. | | HABENARIA DILATATA | 25¢ |
| ERYTHRONIUM GRANDIFLORUM or var. | 15¢ | White flowered bog orchis. Lizard shaped roots. | |
| Glacier lily. Nature plants Doz. | and the same of th | Lizard shaped roots. | si3h |
| this one abundantly and deep. | 174 | HABENARIA SACCATA | 25¢ |
| Yellow. 12" pH-5-7 AprMay | 50% | Green flowered bog orchis. | -74 |
| for the pro- | 200 | green fromered pog of cure. | |
| ERŶSIMUM ELATUM | 15¢ | HABENARIA ORBICULATA | 50¢ |
| Western wall flower. Biennial. | 2.54 | Wood orchis. Rare here. | 7-7 |
| Orange-yellow. 12-18" pH-7-8 AprJun- | ө | TORGOTTOM TO THE DESCRIPTION OF THE PARTY OF | |
| Parelle cornille with voller chrone | | HEDYSARUM CINERASCENS | 35¢ |
| EÚPHORBIA CYPARISSIAS | 25¢ | Leaves and loments strigose both | SE |
| Attractive, but keep under control. | 9 | sides. Racems peduncled. | |
| DOBNOVINON A ROTERONIA CORIGRA | - 10% | Reddish-purple. 1-2' pH-7-8 June-July | |
| FRASERA SPECIOSA | 25¢ | SERGIBBA (DELITOSTAVA) | 5.04 |
| Green gentian. Not my ideal, but | | HEUCHERA CYLINDRICA GLABELLA | 20¢ |
| some like it. | 159 | I like its resourcefullness. | |
| | 401 | Cream. 12 pH-5-7 May-June | -246 |
| FRITILLARIA PUDICA | 10¢ | 2081 C. (48 C) C. (47 C) C. (4 | SER |
| Yellow-bell Doz. | 75¢ | For dwarf red Heuchera, see Boykinia | |
| One of our earliest spring bloomers. | 569 | | 05/ |
| Irrestistible to school kids. | • | HIPPURIS VULGARIS | 25¢ |
| Yellow. 6-8" pH-7-8 Apr. | | A collection of 6 different plants | .00 |
| GAILLARDIA ARISTATA | 20¢ | for your pool | |
| Blanket flower. Cultivated east, | 20% | HYDROPHYLLUM CAPITATUM | 15¢ |
| but grows wild here. | 100 | Dormant roots, fall, or plants early. | 274 |
| Red-yellow. 12" pH-7 May | | Blue. 6" pH-6-7 May-July | |
| Rod-Jorion 12 pri-1 ray | | in the part , where the same training | |
| GALIUM BOREALE | 20¢ | HYPERICUM SCOULERI | 25¢ |
| Plumes of small white flowers. | No Y | Have you seen it at Logan Pass? Red | -27 |
| White. 12-18" pH-5-7 May | | tinged buds opening into golden fls. | 14 |
| ACKENTREDERY TOMERMAN | 33 00 | ्रिकार हें ने के जिल्ला के किल्ला किल हैं। किल के किल क | |
| GAURA COCCI MEA | 25¢ | IONACTIS, see Aster scopulorum | SOL |
| Like butterflies along a bough. | | MA DISTRICT | |
| A clastor, of small goodies Clemera. | 100 | IRIS MISSOURIENSIS | 15% |
| GAUTTHERIA HUMIFUSA | 30¢ | Only wild Iris of our area, but good. | |
| A red berried ground cover. | 01,00 | 2010/2010/00/14/00/2013 | IBK |
| | | KALIJIA III CROPHYLLA | 35¢ |
| *GENTIANA CALYCOSA | 30¢ | Alpine laurel. An evergreen bordering | |
| Kind to a mateur gardeners. | | bogs. A clump of roots and branches, | |
| Keep blue. 10" pH-5-6 AugSept. | | but seldom individual small plants. | |
| Pepagen Tlangs Don't est Mi Dornel | 05. | Pink. 2' pH-4-5 June-Aug. | |
| GENTI.1N.1 ROM.1N ZOVII | 25¢ | Pire and mathem leafer like one. | |
| Artic gentian. Flowers greenish- | | LAPPULA DIFFUSA | 25¢ |
| white streaked with purple. | | Stickseeds following forget-me-not fla | S |
| Campanous may ne harded bare | | The state of the s | |
| GERANIUM VISCOSISSIUM | 25¢ | LESQUARELLA UTAHENSIS | 25¢ |
| Red. 12 pH-7 May-on | | Drabas and Physarias are more showy. | X - + |
| | | Yellow. pH-7-9 AprMay | |

| the street Breeze | 7 | • • • | |
|--|------|--|-------|
| LEWISIA MINIMA | 30¢ | LIDING DOLLOCUS | 25¢ |
| Several small white fls. from a Doz.1 | | Elue. 1-2' pH-5-6 June-July | 274 |
| turnip shaped bulb as large as a small pea. I find it in Idaho. | | | 05 / |
| small peas I find it in idano. | | LUPINUS LYALLII Light blue. 4-8" pH-6 July | 25¢ |
| LEWISIA PYGMAEA | 30¢ | night blue, 4-0 ph-0 bury. | |
| Pink Ils. resembling L. rediviva, Doz. | 1.50 | LUPINUS HELLERAE THE THE THE THE | 25¢ |
| but smaller. Root 1-2" long and smaller than a score card pencil. | | Blue. 1=-2' pH-7 May | |
| I know this one in Wyoming. | | If you aren't particular as to species | 5 |
| It is rarely white here. | | of bluebonnet, deduct 5¢ | |
| *LEWISIA REDIVIVA | 20¢ | THERET A MINISTER OF A | |
| Bitterroot, more ample. State Doz.1 | | LUZULA MULTIFLORA If you want sedge or wood-rushes, | 20¢ |
| flower of Montana and Lewis & | | we have lots of them. | |
| Clark's finest find. 2" fls. like Cactus blossoms. Dormant roots keep | | end were as a | OF / |
| like potatoes. U-m-m good. | | LYGO DESMIA JUNCEA Shelton weed. A flowering herb of | 25¢ |
| Pink. 2-3" pH-6-8 June | | the dry plains, resembling a rush. | |
| | 701 | | |
| LIATRIS LACINIARIA PUNCTATA Blazing star. Wooden bulbs: | 30¢ | LYSICHITON KAMTSCHATCENSIS | 50¢ |
| Purple. 12" Aug. Oct. | | Leaves less durable than the fig, but more ample up to $1\frac{1}{2}$ X 3' | |
| | | White flowered bog plant. | |
| LIGUSTICUM FILICINUM TENUIFOLIA | 50¢ | | |
| Fragrant rooted parsnip. 1-12" | | MAHONIA, see Berberis | |
| LINNAEA BOREALIS AMERICANA | 25¢ | MALVASTRUM COCCINEUM | 20₺ |
| Twin-flower. Ground cover in shade. | | Cowboy's delight, anyone's delight. | |
| Pink. 4" pH-5 AprMay | | Orange-scarlet. 6-10" pH-8 Aug. | |
| LINUM LEWISII | 20¢ | MENTZELIA DECAPETALA | 254 |
| Blue flax. Nothing more graceful. | 200 | Showy biennial of barren banks. | 25¢ |
| Blue. 18-24" pH-8-7 June-July | | , | |
| LISTERA CORDATA | 15/ | *MERTENSIA LONGIFLORA | 20¢ |
| Greenish. 10" pH-5-6 June-Aug. | 15¢ | Mostly flower, better than M. PUL- C'ELLA or M NUTANS. The small tuber | |
| | | like roots may be handled as bulbs. | |
| LITHOPHRAGMA BULBIFERA | 10¢ | Blue. 4-6" pH-6-7 AprMay | |
| Fringecups. White. 8-10" pH-6-7 AprMay | | ACEDMENT OF A PRIORITY A | 05/ |
| vinitoos o-ro pir-o-i ripro-riag | | MERTENSIA OBLONGIFOLIA American bluebell. Leaves hairy above. | 25¢ |
| LITHOPHR GMA PARVIFLORA | 10¢ | Blue, 6-8" pH-6-8 May | |
| Starflowers. Rock-fringe. | | | 0= (|
| White. 10-14" pH-6-7 AprMay | | MERTENSIA OBLONGIFOLIA NEV DENSIS Slightly more robust, leaves smooth | 25¢ |
| LITHOSPERMUM INCISUM | 30¢ | both sides, With my fading eyes, | |
| = L. MGUSTIFOLIUM | | if you don't care, save a nickle, or | |
| Narrow leaved puccoon. | | order Tertensia sp | 20¢ |
| 1-2° pH-7-8 June-July | | MERTENSIA PANICULATA BOREALIS | .30¢ |
| *LITHOSPERMUM M.N DANENSE | 35¢ | Big roots for border planting. | 7.4 |
| Dwarf plant with golden yellow, | | Blue. 2-3' May | |
| fragrant, showy flowers. Rare. 6-8" pH-7-8 June-July | | L'INULUS GUTTATUS OF LAND COME CARE | 15/ |
| o-o ph-7-o game-sary | | Yellow. 6" up to 24" June | .15¢ |
| LITHOSPERMUM RUDERALE | 30¢ | | ٠, ., |
| = L. PILOSUM : F THE TAGE | | MINULUS LEWISII | 25¢ |
| Pale yellow fls. followed by hard shinny, white seeds. | | Another Lewis & Clark introduction. Red. 12-18" May-June | ٠. |
| 12-18" pH-7-8 May | | read 22-20 lady build | |
| | / | MIMULUS MOSCHATUS | 25¢ |
| White. 10-14" pH-7 May | 15¢ | Yellow, creeping. 3-6" June-Sept. | |
| willos rough piret may | | MITELLA CAULESCENS | 20¢ |
| IONICERA CILIOSA | 35¢ | Yellowish-green with 3 leaves on | |
| Vine honey suckle. Red flowers. | | the flower stems 6-12" | |
| This and Clematis columbiana are my prettiest vines. | | MITELLA NUDA | 201 |
| are my brocorest armes. | | Modest enough. Produces runners | 20.¢ |
| LUPINUS BURKEI | 25¢ | late in season. | |
| Blue. 1-3' pH-5-6 June-July | | Greenish-white. 6-10" May-June | |

| MITELLA PENTANDRA | 20¢ | PARNASSIA FIMBRIATA | 25¢ |
|--|--------------------|--|--------------------|
| Greenish-white. 8-12" | | Grass of Parnassus. For streamside. | |
| | | White. 6-12" pH-5-7 June-Sept. | |
| Above 3 with pinnately cleft petals. | | | |
| | | PARONYCHIA SESSILIFOLIA | 25¢ |
| MITELLA STAUROPETALA | 20¢ | Whitlow-wort. Cushioned. pH-8 | |
| Larger, with long white 3-cleft | | | |
| petals. 12-18" | | PERAMIUM, see GOODYERA | |
| SCHOOL I OUT TO TE | 001 | DEDTAIL ADTO GOVERNODON | 05/ |
| MITELLA TRIFIDA | 20¢ | PEDICULARIS CONTORTA | 25¢ |
| Racemes short on leafless stems. | | Fern-leaf lousewort. | |
| Whitish 3-cleft petals. 8-15" | | *PEDICULARIS GROENLANDICA SURRECTA | 20≰ |
| 111 witowwww. on highents con | | Flowers are pink elephant heads; trun | |
| all mitorworts or bishop's cap, similar a nd good on a damp, shady | | ears and all. Wet place. | LA. |
| bank. They have rounded basal leaves | | Pink. 12-18" pH-5 July | |
| and sprays of greenish, saucer-shaped | | Time. 12-10 pm-y dary | |
| fls. of the same artist's design as | | PEDICULARIS RACEMOSA | 25¢ |
| snowflakes. pH-5-7 20¢ by species. | | White lousewort. | -74 |
| or 15¢ for the first found | | White. 12" pH-5-6 July-Aug. | |
| | | in a surface and s | |
| MONTSUS UNIFLORA | 25¢ | PEDICULARIS SILFOLIA | 25¢ |
| White. 2-4" pH-5-6 June | | Cream. Louseworts have roots like | -37 |
| | | dahlias, but don't grow as easily. | • |
| MONOTRO PA UNIFLORA | 50¢ | | • |
| Indian pipe. It occurs world wide. | | PENSTEMON ARIDUS | 25¢ |
| It might grow with you. Deep woods. | | Inured to substandard living. Our | |
| | • | smallest, and perhaps our best. | |
| MUSINEON DIRARICATUM HOOKERI | 20¢ | Blue. 6-8" pH-7 June-July | ** |
| Yellow. 6" pH-7-8 AprMay | | | |
| For a white parsnip, see LOMATUM | | PENSTEMON · CONFERTUS | 25¢ |
| | | Cream. 6-18" pH-6 June-July | |
| MYOSOTIS ALPESTRIS | 25¢ | * | |
| Perennial with bright blue fls. | | PENSTEMON DIPHYLLUS | 25¢ |
| Blue. 4-12" pH-5-7 June-July | | Blue. 8-12". pH-5-6 June | |
| AND TO DIRECTOR OF THE CONTROL OF TH | 201 | DESIGNESS DOTAS INTENTION CAT TESTO | 05/ |
| MYRIOPHYLLUM, sp. (SPICATUM?) Parrot feather. For aquarium or pool. | 20¢ | | 25¢ |
| rarrot leather, for advartum or pool, | | | |
| | | Large, mottled flowers. | |
| Blue. 18"-2' pH-6-7 July | | Lavender. 6-8" pH-7 May-June | |
| Blue. 18"-2' pH-6-7 July | 504 | Lavender. 6-8" pH-7 May-June | ZE <i>d</i> |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA | 50¢ | Lavender. 6-8" pH-7 May-June PENSTEMON FRUTICOSUS | 35¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer | 50¢ | Lavender. 6-8" pH-7 May-June PENSTEMON FRUTICOSUS Woody shrub. | 35¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer | | Lavender. 6-8" pH-7 May-June PENSTEMON FRUTICOSUS | 35¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHERA CAESPITOSA | 50¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June | |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. | | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS | 35¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHERA CAESPITOSA | | Lavender. 6-8" pH-7 May-June PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where | |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTH'RA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July | 25¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. | |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, | | Lavender. 6-8" pH-7 May-June PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where | |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. | 25¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July | 25¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, | 25¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII | |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. | 25¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July | 25¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA | 25¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII - P. LINEARIFOLIUS | 25¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 | 25¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS | 25¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow | 25¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. | 25¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill | 25¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS | 25¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallest | 25¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. | 25¢ 35¢ 20¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round leaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallest plants priced 1¢ per leaf extra for | 25¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII - P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. Blue. 10-18" pH-6-7 June-July | 25¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallest plants priced 1¢ per leaf extra for larger ones. OXYTROPIS OREOPHILA or PARRYI | 25¢ 5¢ 10¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. Blue. 10-18" pH-6-7 June-July *PENSTEMON CAELESTINUS My home town penstemon. Intense a bundant flowers. "Heavenly" | 25¢ 35¢ 20¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round leaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallost plants priced 1¢ per leaf extra for larger ones. OXYTROPIS OREOPHILA or PARRYI Low, grayish plants with showy | 25¢ 5¢ 10¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. Blue. 10-18" pH-6-7 June-July *PENSTEMON CAELESTINUS My home town penstemon. Intense | 25¢ 35¢ 20¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallest plants priced 1¢ per leaf extra for larger ones. OXYTROPIS OREOPHILA or PARRYI | 25¢ 5¢ 10¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. Blue. 10-18" pH-6-7 June-July *PENSTEMON CAELESTINUS My home town penstemon. Intense a bundant flowers. "Heavenly" Blue. 8-12" pH-7 May-June | 25¢ 35¢ 20¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallest plants priced 1¢ per leaf extra for larger ones. OXYTROPIS OREOPHILA or PARRYI Low, grayish plants with showy purple flowers. | 25¢ 5¢ 10¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. Blue. 10-18" pH-6-7 June-July *PENSTEMON CAELESTINUS My home town penstemon. Intense a bundant flowers. "Heavenly" Blue. 8-12" pH-7 May-June PENSTEMON OVATUS PINETORUM | 25¢ 35¢ 20¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallost plants priced 1¢ per leaf extra for larger ones. OXYTROPIS OREOPHILA or PARRYI Low, grayish plants with showy purple flowers. OXYTROPIS LAMBERTII or SPLENDENS | 25¢ 5¢ 10¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. Blue. 10-18" pH-6-7 June-July *PENSTEMON CAELESTINUS My home town penstemon. Intense a bundant flowers. "Heavenly" Blue. 8-12" pH-7 May-June PENSTEMON OVATUS PINCTORUM L. WILCOXII | 25¢ 35¢ 20¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallest plants priced 1¢ per leaf extra for larger ones. OXYTROPIS OREOPHILA or PARRYI Low, grayish plants with showy purple flowers. | 25¢ 5¢ 10¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. Blue. 10-18" pH-6-7 June-July *PENSTEMON CAELESTINUS My home town penstemon. Intense a bundant flowers. "Heavenly" Blue. 8-12" pH-7 May-June PENSTEMON OVATUS PINETORUM L. WILCOXII Fairly large growing, but desirable. | 25¢ 35¢ 20¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHERA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallest plants priced 1¢ per leaf extra for larger ones. OXYTROPIS OREOPHILA or PARRYI Low, grayish plants with showy purple flowers. OXYTROPIS LAMBERTII or SPLENDENS Taller, purple locos. | 25¢ 5¢ 10¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. Blue. 10-18" pH-6-7 June-July *PENSTEMON CAELESTINUS My home town penstemon. Intense a bundant flowers. "Heavenly" Blue. 8-12" pH-7 May-June PENSTEMON OVATUS PINETORUM L. WILCOXII Fairly large growing, but desirable. Best in sha dy, wild garden. | 25¢ 35¢ 20¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHTRA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA FOLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallest plants priced 1¢ per leaf extra for larger ones. OXYTROPIS OREOPHILA or PARRYI Low, grayish plants with showy purple flowers. OXYTROPIS LAMBERTII or SPLENDENS Taller, purple locos. CXYTROPIS SPICATUS or ALBIFLORA | 25¢ 5¢ 10¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. Blue. 10-18" pH-6-7 June-July *PENSTEMON CAELESTINUS My home town penstemon. Intense a bundant flowers. "Heavenly" Blue. 8-12" pH-7 May-June PENSTEMON OVATUS PINETORUM L. WILCOXII Fairly large growing, but desirable. | 25¢ 35¢ 20¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTHERA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallest plants priced 1¢ per leaf extra for larger ones. OXYTROPIS OREOPHILA or PARRYI Low, grayish plants with showy purple flowers. OXYTROPIS LAMBERTII or SPLENDENS Taller, purple locos. | 25¢ 5¢ 10¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. Blue. 10-18" pH-6-7 June-July *PENSTEMON CAELESTINUS My home town penstemon. Intense a bundant flowers. "Heavenly" Blue. 8-12" pH-7 May-June PENSTEMON OVATUS PINETORUM L. WILCOXII Fairly large growing, but desirable. Best in sha dy, wild garden. Blue. 1-3' pH-5-7 May-July | 25¢ 25¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTH'RA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallest plants priced 1/2 per leaf extra for larger ones. OXYTROPIS OREOPHILA or PARRYI Low, grayish plants with showy purple flowers. OXYTROPIS LAMBERTII or SPLENDENS Taller, purple locos. CXYTROPIS SPICATUS or ALBIFLORA White locos. | 25¢ 5¢ 10¢ 35¢ 25¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. Blue. 10-18" pH-6-7 June-July *PENSTEMON CAELESTINUS My home town penstemon. Intense a bundant flowers. "Heavenly" Blue. 8-12" pH-7 May-June PENSTEMON OVATUS PINETORUM L. WILCOXII Fairly large growing, but desirable. Best in sha dy, wild garden. Blue. 1-3' pH-5-7 May-July *PENSTEMON NITIDUS POLYPHYLLUS | 25¢ 35¢ 20¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTH'RA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallest plants priced 1¢ per leaf extra for larger ones. OXYTROPIS OREOPHILA or PARRYI Low, grayish plants with showy purple flowers. OXYTROPIS LAMBERTII or SPLENDENS Taller, purple locos. CXYTROPIS SPICATUS or ALBIFLORA White locos. PACHYSTIVA MYRSINITES | 25¢ 5¢ 10¢ 35¢ 25¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. Blue. 10-18" pH-6-7 June-July *PENSTEMON CAELESTINUS My home town penstemon. Intense a bundant flowers. "Heavenly" Blue. 8-12" pH-7 May-June PENSTEMON OVATUS PINETORUM L. WILCOXII Fairly large growing, but desirable. Best in sha dy, wild garden. Blue. 1-3' pH-5-7 May-July *PENSTEMON NITIDUS FOLYPHYLLUS Long, gray leaves, sky-blue fls. | 25¢ 25¢ |
| Blue. 18"-2' pH-6-7 July NYMPHAEA POLYSEPALA Yollow waterlily. Summer OENOTH'RA CAESPITOSA Evening primrose. White. 3-6" pH-8 May-July OPUNTIA FRAGILIS Per stem, Round loaves, yellow flowers. 4-6" pH7-8 OPUNTIA POLYCANTHA Prickly pear. Flat leaves, yellow flowers. 20° below zero won't kill either of these Opuntias. Smallest plants priced 1/2 per leaf extra for larger ones. OXYTROPIS OREOPHILA or PARRYI Low, grayish plants with showy purple flowers. OXYTROPIS LAMBERTII or SPLENDENS Taller, purple locos. CXYTROPIS SPICATUS or ALBIFLORA White locos. | 25¢ 5¢ 10¢ 35¢ 25¢ | PENSTEMON FRUTICOSUS Woody shrub. Blue. 2' pH-5-6 June PENSTEMON FLAVESCENS Abundant on a mountain in Idaho where I always like to go but seldom do. Cream-white. 8-12" pH-6 June-July PENSTEMON LYALLII P. LINEARIFOLIUS PENSTEMON MICRANTHUS Knothead flower clusters. Blue. 10-18" pH-6-7 June-July *PENSTEMON CAELESTINUS My home town penstemon. Intense a bundant flowers. "Heavenly" Blue. 8-12" pH-7 May-June PENSTEMON OVATUS PINETORUM L. WILCOXII Fairly large growing, but desirable. Best in sha dy, wild garden. Blue. 1-3' pH-5-7 May-July *PENSTEMON NITIDUS POLYPHYLLUS | 25¢ 25¢ |

| PERIDERIDIA GAIRDNERI | 15¢ | *POLYGONUM BISTORTOIDES | 15¢ |
|--|-----|--|------|
| Squaw-root. Dormant. Doz. | 50¢ | Dormant root fall. June-July | |
| | | Pinkish-white. 12-18" pH-5-6 Doz. | 50¢ |
| PHACELIA HTTEROPHYLLA, or | 15¢ | POTENCIAL PROPERTY AND | / |
| PHACELIA LEUCOPHYLLA | :: | POLYGONÚM BISTORTA LÍNEARIFOLIUM | 15¢ |
| *PHLOX BRYOIDES | 20¢ | POLYGONUM VIVIPARUM | 15¢ |
| Square-shoot Phlox. Compact, caespi- | | | A. |
| tose, gray foliage. Abundant 80 miles from here. | ÷ , | POLYSTICHUM, see under ADIANTUM | |
| Small, blue-white fls. pH-8 May-June | :, | *POTENTILLA CCNVALLARIA | 20¢ |
| | 05/ | Rockery or border. Good I think. | , |
| PHLOX DIFFUSA SCLERANTHIFOLIA Western moss-phlox. | 25¢ | Cream-white. 10-18" pH-7 AprMay | |
| Lilac, caespitose. pH-5 June | | *FOTENTILLA FRUTICOSA Shrubon circuefoil. Showy summer | 35¢ |
| PHLOX DOUGLASII RIGIDA | 25¢ | long. Good. May be hept sheared to | |
| Viscid moss-phlox, shrubby. | | any size. Yellow. 2-2' pr7 | |
| | | | |
| PHLOX HOODII MUSCOIDES | 25¢ | PUTENTILLA NUTTALLII, or GLANDULOSA | 25¢ |
| Sageland moss-phlox. | | Yellow. 1½-2' pH-6 July | |
| *PHLOX HOODII VISCIDULA | 25¢ | POTENTILLA ANSTRINA SERICEA | 20€ |
| Sageland moss-phlox. | -74 | "Very decorative" Bailey says. Single | |
| Pink, caespitose. pH-7 May | | showy fls. on low axillary stems. | |
| Time, casspiosses pir prag | | Yellow, low, pH-6 summer | |
| PHIOX LONGIFLORA HUMILIS | 25¢ | You may have others if you like. | |
| Carinate Phlox, sweet william type. | -27 | into control in your rates | |
| Lavender. 8-12" pH-6-8 June | | PRUNELLA VULGARIS | 20\$ |
| par o , com | | Selfheal. | |
| PHLOX MISSOULIENSIS | 35¢ | Blue. 6" pH-6 June | |
| Western moss-phlox. Endemic, known | , | | |
| only from one hill. None finer. | | PULSATILLA, see ANEMONE | |
| Blue, caespitose, pH-7 | | | |
| | | PYROLA ASARIFOLIA | 25¢ |
| PHLOX MULTIFLORA | 25¢ | Large, pink flowers. Leaf blades | |
| Costate moss-phlox. | | broader than long. | |
| | | Pink. 4-12" pH-5-7 May-June | |
| Western Phlox are considered | | and the state of t | |
| difficult in the East. | | PYROLA CHLORANTHA | 25¢ |
| | 75/ | Blades orbicular, shorter than stem. | |
| PHYLLODOCE EMPUTRIFORMIS | 35¢ | Greenish-white. pH-5-7 June | |
| Evergreen when I can get it. | | THE RESERVE OF THE PARTY OF THE | 05/ |
| Red fls. 1' pH-5 July | | PYROLA ELLIPTICA | 25¢ |
| PHYSARIA DIDYNOCARPA | 251 | Leaf blades oval, longer than stem. | |
| or variety LANIATA | 25¢ | White. pH-6 June-July. | |
| Double bladder pod, narrow | | PYRO LA ULIGINOSA | 25¢ |
| upper sinus. | | Large; leaf blade longer than broad. | ٦٧٤ |
| appea salida i | | Pink. pH-7 June | |
| PHYSARIA GEYERI | 25¢ | Paris Paris | |
| Twinpod. Wide upper sinus. | / | PYROLA SECUNDA | 25¢ |
| Yellow. 4-6" pH-7-8 May | | Small white. pH-5-6 June | -, |
| | 05. | THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PERS | 3 1 |
| PHYSOSTEGIA PARVIFLORA | 25¢ | Just PYROLA, small white, | 15¢ |
| Likes its feet wet. | | large pink, | 20¢ |
| Rose-purple. 1-3' pH-6-7 June-Aug. | | AD MITMOUTING OF ADDRODUCE | 30/ |
| PLEASE | | *RANUNCULUS GLABERRIMUS | 10¢ |
| 2 13 32 55 55 | | Early. For sunny, sandy sites. | |
| Be patient, I'm not up on radar, but look for plants the old fashioned way | | This one has everthing a buttercup should including fragrance. | |
| TOOK TOT PEATOD ONG DEG LASTITOTION WAY | • | Waxy yellow. 13 2-5" pH-6-7 Apr. | |
| *POLEMONIUM HAY DENI | 15¢ | Jorgan Maria Landina | |
| Rock slides. | -77 | *RANUNCULUS MONTAN ENSIS | 20¢ |
| Blue or white. 12" pH-5-6 May-Aug. | | More robust, consistant bloomer on | _υμ |
| L > | | damp ground. | |
| POLEMONIUM OCCIDEFTALE | 25¢ | Yellow. 1-2' pH-5-6 June-July | |
| Bog. Robust. | | 50 others here all good enough. | |
| | | | |
| POLEMONIUM CONFERTUM | 25¢ | RYDBERGIA, see ACHINELLA | |
| hit wollows | | • | |

| SAGITTARIA CUNNEATA White. 8-18" Bog. July-Sept. | | SOLIDAGO E LONGATA Tall goldenrod. Compact fl.clusters. Yellow. 1-3' pH-6-7 July-Aug. | 50¢ |
|---|-----|---|-----|
| SAGITTARIA LATIFOLIA White. 1-2' Shallow water. June-on | 35¢ | SO LIDAGO MISSOURIENSIS | 20¢ |
| SAXIFRAGA ARGUTA Stream side. Choice in a wet place. White. 8-10" pH-5-6 July-Aug. | 25¢ | Dwarf goldenrod. Yellow. 6-8" pH-7-8 June-Aug. SOLIDAGO SEOTINA | 20¢ |
| *SAXIFRAGA BRONCHIALIS AUSTROMONTANA From rock slides, compact mounds. | 25¢ | Tall goldenrod. Open fl. clusters. | |
| White-pink dots. 4-8" pH-5-6 May-July | | Goldenrods would be better thought of if they stayed home more. | |
| SAXIFRAGA FLAGELLARIS Yellow saxifrage. Tiny alpine. Good when found. | 25¢ | SPERGULARIA RUBRA A moss-like chickweed. Cover for wet ground. White, matted. pH-5-6 June | 25¢ |
| SAXIFRAGA MONTANENSIS Similar to S. nivalis. Damp slopes, rocks and mossy banks. | 15¢ | SPHAERALCEA RUVULARIS Wild hollyhock. Good in border. Pink. 3-5' pH-6-7 June | 50¢ |
| Other Saxifraga-like plants: LITHOPHRAGMA, MITELLA, HEUCHERA, TIARELLA, BOYKINIA. | | SPIRANTHES PARRIFOLIA Lady's tresses. Pretty, with white hair closely braided, a green dress | 25¢ |
| SCRIPUS MICROCARPUS | 35¢ | | ug. |
| SCUTELLARIA EPILOBIFOLIA | 25¢ | SPIRODELA FOLYRHIZA A floating plant like green | 5¢ |
| SEDUM INTEGRIFOLIUM King's crown. | 25¢ | | 20¢ |
| *SEDUM LEIBERGII BORSHII Yellow. 2-4" pH-5-7 May-June | 25¢ | SPRAGUEA MULTICEPS Pussy-paws. Cute. | 20¢ |
| *SEDUM STENOPET LUM Yellow. 4-6" pH-5-7 May-June | 10¢ | STELLARIA (ALSINE) LONGIFOLIA Chickwood. | 25¢ |
| SEED LIST ready in late fall. | | STENOTUS, see APLOPAPPUS | |
| SELANGINELLA DENSA | 20¢ | STREPTOPUS AMPLEXIFOLIUS Twisted-stalk, Showy, with bright | 30¢ |
| SENECIO PURSHIANUS Light gray foliage. 6-10". | 15¢ | orange-red berries dangling along the branches. Streamside. White. 12-3' pH-6-7 May-July | |
| SHRUB & TREE LIST upon request. | | SUN, RAIN & DRAINAGE | |
| *SIEVERSIA CILIATA Purple avens. | 20¢ | and the greatest of these is drainage | • |
| Rose. 8-12" pH-6-7 May-June | | SYMPHORICARPUS ALBUS LAEVIGATUS and S. OCCIDENTALIS | 25¢ |
| SIEVERSIA TURBINATA | 20¢ | Snowberry. 2-4 pH-5-7 | |
| SILENE ACAULIS Carpet pink. A good trick if you can do it. | 20¢ | SYNTHYRIS MISSOURICA MAJOR Large round, notched evergreen leaves. Flowers suggesting a | 25¢ |
| SILENE MANZIESII | 25¢ | | |
| SISYRINCHIUM ANGUSTĮFOLIUM or S. OCCIDENTALE | 25¢ | Blue. 8-12" pH-7 May-June SYNTHYRIS LACINIATA | 25¢ |
| SMILACINA AMPLEXIC JULIS False Solomon's seal. White: 1-2' pH-6-7 June | 15¢ | Onehalf as large as S.M.Major. More of an alpine and perhaps better among rocks. | |
| | 204 | TELESONIX, see BOYKINIA | |
| SMILACINA RACEMOSA | 20¢ | TETRANEURIS, see ACTINELLA | |
| SMILACINA STELLATA Wild lily-of-the-valley. White, 8-12" pH-6-7 May-June | 15¢ | TEMPTATION, a choice assortment, my | |

| Corners of Corporate Corners of | 11 | areas of the party propagation |
|---|------------|---|
| THERMOPSIS MONTANA Goldenpea. Locally abundant mostly east of the mountains. | 25¢ | WILD FLOWER SEED MIXTURE Suitable for roadside or waste area planting. Per oz. \$1.00 |
| THALICTRUM sp. White. 2-3' pH-5-7 May-June | 15¢ | (If you don't buy this I'll scatter it) WOODSIA, see following ADIANTUM |
| TIARELLA UNIFOLIATA Lace flower. Delightfully delicate in appearance and easy in shade. | 15¢ | WYETHIA AMPLEXICAULIS 25¢ Mulish many ways. |
| White. 8-12" pH-6-7 AugSept. TOFIELDIA INTER EDIA | 25¢ | XEROPHYLLUM TENAX 25¢ Beargrass. They root deeply, so small plants sent. Like tapers tall. |
| TREE & SMRUB list upon request. | | White. 3' pH-5-7 June-July |
| TOWNSENDIA SERICEA Easter daisy of the foothills. White. 2" pH-8 AprMay | 25¢ | YUCCA GLAUCA If and when I get to the eastern part of the state. They also root deep. |
| TOXICODENDRON TRILOBATA I send this one gratis to all who do not ask for my list. | | ZYG DENUS ELEGANS & GRAMINEUS 10¢ Wand lily. I like elegans from the high country best. Either, Doz.50¢ |
| TRAUTVETT RIA GRANDIS Bugbane. White. 3' pH-6-7 July | 25¢ | SINGING COLLERCIAL When in my Jeep, I climb a peak To learn what alpines grow there; I'd dig a few, if I but knew |
| TRILLIUM OVATUM No finer Trillium. White. 8-12" pH-5-7 AprMay | 15¢ 75¢ | Who yearns to grow them elsewhere. KEY There are a lot of keys around my home. |
| TROLLIUS ALBIFIORUS Globe-flower. Cream-white. 4-20" pH-5-6 May-June | 20¢ | I am continually coming across one and wondering what it will unlock. This one is no exception. |
| TYPHA LATIFOLIA Cat-tail | 25¢ | SOIL ACIDITY, is expressed herein as pH- and a figure. pH-7 is neutral. Higher figures are alkaline, lower acid. Drainage, moisture, light and temper- |
| VACCINIUM OVALIFOLIU | 35¢ | ature are no less important. |
| VACCINIUM SCOPARIUM VERONICA AMERICANA | 25¢ 20¢ | 6-8" One thing that has always bothered me in botany is how big is large? I have tried to show for height average figures for this region. They vary in- |
| Blue. 18" Streamside. All summer. VERONICA SERPYLLIFOLIA | 20¢ | creasing with moisture, warmth, rich- ness of soil, and protection from |
| Blue. 6-8" pH-5-6 May-June | , | grazing (shearing). |
| *VIOLA ADUNCA (or MONTANEWSIS) Blue. 3-5" pH-6-7 May-June | | *Just my preference as to the genus listed |
| VIOL. BELLIDIFOLIA Compact with small leaves and abundant flowers. Blue. 2-4" AprMay | 25¢ | SCREE: A porous soil as that of a mountain ridge or the talus slope at the foot of a cliff. A rocky, gravelly soil, with at least a little loam overlaying a sloping impervious layer over which moisture seeps. Plants then have a dry |
| *VIOLA GLATELLA Yellow. 6-10" pH-6-7 AprJuly | 15¢ | crown with a cool and moist root system. A wall or raised bed is usually adapted to alpines. |
| VIOLA NUTTALLII VALLICOLA A drought resistant yellow violet. | 20¢ | "EASY" Many of these plants are not "easy" within the meaning of this term in the ordinary garden catalogue. However, all |
| VIOLA ORBICUL TA Yellow violet of cold woods. Yellow. 2-4" pH-5-9 AprJuly | 15¢ | grow luxuriantly where I find them and most of them will grow for you if you meet their minimum requirements. Cultural directions as I know them, will be sent |
| VIOLA PLUSTRIS Small white violet of moist places. | 25¢ | with the plants. |
| VIOLA RUGULOSA This one grows willingly. White 10-12" Nav-on | 20¢ | PS. Not a business, a hobby. Nice work, and I have it. |

COMMON NAMES

Where the scientific a nd common name is the same it is listed but once. If you don't find it here, look in the general list or write.

Aconite saxifrage, Boykinia Alfilaria, Erodium Alum-root, Heuchera American bluebell, Mertensia American cowslip, Dodecatheon American laurel, Kalmia American pasque flower, Anemone patens Antelope bush, Purshia Arctic gention, Gentiana r. Arrowhead, Sagittaria
Avalanche lily, Erythronium Avens (Mt.), Dryas Avens (purple), Sieversia Avens (yellow) Geum Bachelor's button, Centaurea Balsamroot, Balsamorrhiza Baneberry, Actaea
Bearberry, Arctostaphylos Beardstongues, Penstemon Beargrass, Xyrophyllum Bedstraw, Galium Bird-bills, Dodecatheon Birth-root, Trillium Biscuit root (white), Lomatium Bishopscap, Mitella Bistort, Polygonum Bitterbrush, Purshia Bitter cherry, Prunus Bitterroot, Lewisia Bladder pod, Lesquerella Blanket flower, Gaillardia Blazing star, Liatris Blazing star, Mentzelia Bluebell, Campanula Bluebell, Mertensia Blueberry, Vaccinium Blue bonnet, Lupinus Blue camas, Camassia Blue-eyed grass, Sisrinchium Blue flag, Iris Blue flax, Linum Bog asphodel, Tofieldia Breadroot, Lewisia Brides bouquet, Chaenactis Brown-eyed Susan, Gaillardia Broom-weed, Gutierrezia Buffaloberry, Shepherdia Bulrush, Scripus Bunchberry, Cornus Buttercup, Ranunculus Butterfly lily, Calochortus Butterfly weed, Gaura Butterweed, Senecio Button snake-root, Liatris Cactus, (ball type) Coryphanta Cactus, (spreading type) Opuntia Capnoides, Corydalis Carpet pink, Silene acaulis Cat's-paws, Antennaria Cat-tail, Typha Chickweed, Cerastium Chickweed, Stellaria Chokecherry, Prunus Cinquefoil, Potentilla Cliff brake, Cheilanthes Climbing bittersweet, Celastrus Clubmoss, Lycopodium Clubmoss (little) Selanginella Cowboy's delight, Malvastrum Columbine, Aquilegia

Coralroot, Corallorhiza Cotton grass, Eriophorum Cow-parsnip, Heracleum Cranebill, Geranium Currant, Ribes Cypress spurge, Euphorbia Daisy, Erigeron Death camas, Zygadenus Devil's club, Echinopanax Dogbane, Apocynum Dog-tooth violet, Erythronium Dogwood, Cornus
Duckweed, Lemna
Duckweed (larger), Spirodela Dwarf larkspur, Delphinium Easter daisy, Townsendia Elder, Sambucus Elderberry, Sambucus Elephant head, Pedicularis Elk thistle, Cirsium Evening primrose, Oenothera Everlasting, Anaphalis Fairy bells, Disporum Fairy slipper, Calypso False bugbane, Trautvetteria False helebore, Veratrum Falso miterwort, Tiarella Ralse Solomon's seal, Disporum Fernleaf, Pedicularis Ferns, see under Adiantum Fireweed, Epilobium Five-finger, Potentilla Flax (blue) Linum Fleabane, Erigeron Forget-me-not (dwarf) Eritrichium Forget-me-not (tall) Myosotis or Lappula Fringecup, Lithophragma Fringed loosestrife, Steironema Garlic, Allium Ghost flower, Monotropa Giant-hysop, Agastache Glacier lily, Erythronium Globe flower, Trollius Globemallow, Sphaeralcea Golden aster, Chrysopsis Goldenpea, Thermopsis Golden-rod, Solidago Golden smoke, Corydalis Gold thread, Coptis Grape fern, Botrychium Grass of Parnassus, Parnassia Gay feather, Liatris Green-gentian, Frasera Gromwell, Lithospermum
Groundsel, Senecio Harebell, Campanula Hawthorn, Crataegus Heal-all, Prunella Hearts-ease, Viola Holly fern, Polystichum Holly-grape, Berberis Honeysuckle, Lonicera Horsemint, Monarda Horsetail, Equisetum Huckleberry, Vaccinium Hyacinth, Brodiaea Indian Paint, Lithosperumu Jacob's ladder, Gilia Jacob's ladder, Polemonium

June-berry, Amelanchier Kinnikinnick, Arctostaphylos Kitten tails (blue) Synthyris Kitten tails (red) Besseya Kitten toes, Antennaria Labrador tea, Ledum Lace flower, Tiarella Ladies' slipper, Cypripedium Ladies' tresses, Spiranthes Lady's thumbs, Polygonum Larkspur, Delphinium Leather-flower, Clematis douglasii Lemon mint, Monarda HAR MENER MAN Licorice, Glycyrrhiza Lily-of-the-valley, Smilacina Lion's heart, Physostagia Little club moss, Selaginella Loco, Astragalus SUFFICIENT. Loco, Oxytropis Louseworts, Pedicularis Lupine, Lupinus Mallow, Malvastrum Marestail, Equisetum
Marestail, Hippuris Mariposa lily, Calochortus Marsh marigold, Caltha Meadow rue, Thalictrum Meadow saxifrage, S. montanensis Meadow sweet, Spiraea Milfoil, Achillea Milkvetch, Astragalus Milkweed, Asclepias Miner's lettuce, Claytonia Miterwort, Mitella Mock orange, Philadelphus Monkey flower, Mimulus Monkshood, Aconitum Moonwort, Botrychium Morning-star, Mentzelia Moss campion, Silene acaulis Moss chickweed, Spergularis Moss pink, Douglasia Mountain ash, Sorbus Mountain dock, Polygonum Mountain-gold, Alopappus Mountain laurel, Ceanothus Mountain laurel, Kalmia Mountain lover, Pachystima Mountain maple, Acer Mountain maple, Acer Mountain spray, Sericotheca Mouse-ear, Cerastium Muskplant, Mimulus Nodding onion, Allium cernuum New Jersey tea, Ceanothus Ninebark, Opulaster Oak fern, Dryopteris Ocean spray, Sericotheca Ola man's whiskers, Sieversia Onion, Allium Oregon sunshine, Eriophyllum Orpine, Sedum Owl's clover, Orthocarpus Paint brush, Castilleja Parrotfeather, Myriophyllum Parsley fern, Cryptogramma Pasque flower, Anemone patens Pathfinder, Adenocaulon Pearly everlasting, Anaphalis Pin-clover, Erodium Pipsissewa, Chimaphila Pond lily, Nymphaea Popcorn flower, Cryptantha

Prairie pink, Lygodesmia Prairie smoke, Sieversia Prickley pear, Opuntia Primrose (evening) Oenothera Puccoon, Lithospermum Purple clematis, Clematis columbiana Pussy-ears, Calothortus Pussy-paws, Spraguea Pussy-toes, Antennaria Queen cup, Clintonia Rabbit bush, Chrysothamnus Rabbit tobaco, Antennaria Ragwort, Senecio Ram's horn, Pedicularis racemosa Rattlepod, Astragalus Rattlesnake plantain, Goodyera Red cedar, Juniperus Red stonecrop, Sedum integrifolium Red heather, Phyllodoce Rock rose, Lewisia rediviva Rock jasmine, Drosace Rush, Juneus Sacred rhubarb, Heracleum Sage, Artemisia Solomon berry, Bossekia Sand lily, Mentzelia Sandwort, Alsinopsis Sandwort, Arenaria Sandwort (blunt leaved), Moehringia Saskatoon, Amelanchier Saxifrage, Boykinia Saxifrage, Saxifraga Scarlet gaura, Gaura Scarlet gilia, Gilia Scotch bluebell, Campanula Sedge, Carex Sego lily, Calochortus Selfheal, Prunella Serviceberry, Amelanchier Shin leaf, Pyrola Shooting star, Dodecatheon Showy milkweed Asclepias Shrubby cinquefoil, Potentilla fruticosa Silkweed, Asclepias Silver berry, Elaeagnus Silver plant, Eriogonum ovalifolium Silver head, Potentilla anserina Single beauty, Moneses Skeleton weed, Lygodesmia Sky pilot, Polemonium Skullcap, Scutellaria Skunk cabbage, Lysichiton Skunk weed, Polemonium Snakeweed, Gutierrezia Snowberry, Symphoricarpos Snowbrush, Ceanothus Solomon plume, Smilacina Spanish bayonet, Yucca Stork's bill, Erogium Speedwell, Veronica Spike-rush, Eleocharis Spotted saxifrage, S. Bronchialis var. Spring beauty, Claytonia Squaw root, Perideridia Star-flowered Solomon's seal, Smilacina Star flower, Lithophragma Star thistle, Centaurea Starwort, Alsine Stenotus, Alopappus Stickleaf, Mentzelia Stickseed, Lappula St. John's wort, Hypericum

Stonecrop, Sedum Sugar bowl, Clematis douglasia Sulphur plant, Eriogonum Piperi Sumac, Rhus Sundew, Drosera Sun-cups, Oenothera
Swamp laurel, Kalmia
Syringa, Philadelphus
Sweet william Sweet william, Phlox longifolia Thimbleberry, Bossekia Toad-flax, Comandra Tobacco-root, Valeriana
Turkey peas, Orogenia
Turpentine weed, Gutierrhiza Twayblade, Listera Twinflower, Linnaca Twinpod, Physaria Twisted-stalk, Streptopus Umbrella plant, Eriogonum subalpinum Violet, Viola Violet, Viola Virgin's bower, Clematis Wake robin, Trillium Wall flower, Erysimum Wand lily, Zygadenus Water buttercup, Gatrachium Water ladysthumb, Polygonum Waterleaf, Hydrophyllum Water lily, Nymphaea Water milfoil, Myriophyllum Water plantain, lisma Wostern blue flag, Iris

Lightness, lastables ...

Why has pour to your william not

Latteday contitous

Reports flower, Crypustiche

White dryad, Dryas octopetala Whitlow-wort, Paronychia Willowgrass, Draba Whorled water-milfoil, Myriophyllum Whortleberry, Vaccinium Wild bergamot, Monarda Wild buckwheat, Eriogonum Wild candytuft, Arabis Wild crocus, Anemone patens Wild heliotrope, Valeriana Wild hollyhock, Sphaeralcea Wild hyacinth, Brodiaea Wild parsnip, Lomatum Wild parsnip (fragrant), Ligusticum Wild sarsaparilla, Aralia Wind flower, Anomone globosa Wintergreen, Chimaphila Wintergreen, Pyrola Wood orchid, Habenaria Wood-ruch, Luzula Woods anemone, Anemone Piperi Woods nymph, Moneses Woolly yellow daisy, Eriophyllum Wormwood, Artemisia Yampa, Perideridia Yarrow, Achillea Yellow avens, Geum Yellow-bell, Fritillaria Yellow dryas, Dryas Drum ondii Yellow parsnip (dwarf) Musineon Yellow stoncrop, Sedum stenopetalum

Active plants are packed in damp sphagnum. Cultural directions given and guaranteed satisfactory upon arrival. cash carabacters

For seed or living plants of species native to the Glacier and Yellowstone Park region, i.e. the Northern Rocky Mountains, write Frank H. Rose, 1020 Poplar St., Missoula, Montana.

BOTANISTS ARE WONDERFUL So I, Frank H. Rose, say.

By emitting the names of botanists from this list, I find myself with surplus letters. I'll place them here rearranged.

Can you climb to timberline and name all the plants you find there? So can I. Each plant, of course, carries its own name if you can read it. Lower down, Lysichiton kamtschatchensis may have its name in big white letters along its wall-like leaves; or Echinopanax horridum, like a Borlos Karloff premiere, flash from white to green then to red and run down through broad, green balconies to the trap below. trap below.

But, to pick the little ones high on a mountain, with your eyes filled with tears by the raw timberline wind is quite another matter and working them out from dried samples brought home is about as bad. You look and look again, consult this book and that and finally decide that Rydberg said it was this, and Britton or Nelson said it was that, and you think what wonder ful men. Soon you are filled with wonder. You wonder if it is this or that and what makes it grow? Will it appeal to your distant friends as it does to you, and how will it behave for them? I appreciate it when you tell me where I am wrong. Get busy.